

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO	DPTO	PORCENTAJE_LLAMADAS	CAIDAS
2019	1		5	102		1	2		19		1,995033113
2019	1		5	102		1	3		19		2,028278068
2019	1		5	102		1	4		19		1,866458415
2019	1		5	102		1	5		19		1,778980161
2019	1		5	102		1	6		18		1,935883537
2019	1		5	102		1	7		19		2,244039271
2019	1		5	102		1	8		19		1,667488089
2019	1		5	102		1	9		19		1,817053714
2019	1		5	102		1	10		19		2,230483271
2019	1		5	102		1	11		19		1,497281472
2019	1		5	102		1	12		19		1,755859867
2019	1		5	102		1	13		19		1,391272924
2019	1		5	102		1	14		19		1,923076923
2019	1		5	102		1	15		19		1,604918556
2019	1		5	102		1	16		19		2,077409163
2019	1		5	102		1	17		19		1,574111067
2019	1		5	102		1	18		19		1,647819063
2019	1		5	102		1	19		19		1,40342338
2019	1		5	102		1	20		19		1,556927894
2019	1		5	102		1	21		19		1,551480959
2019	1		5	102		1	22		19		2,19395595
2019	1		5	102		1	23		19		1,822503962
2019	1		5	102		1	24		19		1,96030584
2019	1		5	102		1	25		19		1,749393153
2019	1		5	102		1	26		19		1,690235127
2019	1		5	102		1	27		19		1,567315312
2019	1		5	102		1	28		19		2,075585921
2019	1		5	102		1	29		19		1,882036632
2019	1		5	102		1	30		19		1,869727141
2019	1		5	102		1	31		19		1,921610493
2019	1		5	102		2	2		10		0,568777733
2019	1		5	102		2	3		10		0,612691466
2019	1		5	102		2	4		10		0,472841419
2019	1		5	102		2	5		11		0,611265862
2019	1		5	102		2	6		19		1,027496382
2019	1		5	102		2	7		19		0,952999783
2019	1		5	102		2	8		10		0,504949305
2019	1		5	102		2	9		10		0,653270487
2019	1		5	102		2	10		10		0,562539953
2019	1		5	102		2	11		10		0,579021911
2019	1		5	102		2	12		10		0,725849023
2019	1		5	102		2	13		19		0,686882225
2019	1		5	102		2	14		10		0,418463641
2019	1		5	102		2	15		10		0,519755098
2019	1		5	102		2	16		10		0,516762203
2019	1		5	102		2	17		10		0,518946003
2019	1		5	102		2	18		10		0,559199462
2019	1		5	102		2	19		10		0,526137135
2019	1		5	102		2	20		19		0,553445469
2019	1		5	102		2	21		10		0,454939341
2019	1		5	102		2	22		10		0,588891367
2019	1		5	102		2	23		10		0,426340424
2019	1		5	102		2	24		10		0,582541674
2019	1		5	102		2	25		10		0,374064838
2019	1		5	102		2	26		11		0,408426483
2019	1		5	102		2	27		19		0,546759312
2019	1		5	102		2	28		10		0,485264001
2019	1		5	102		2	29		10		0,489944473
2019	1		5	102		2	30		10		0,574026451
2019	1		5	102		2	31		10		0,525145479
2019	1		8	102		1	2		11		1,142857143
2019	1		8	102		1	3		19		2,040816327
2019	1		8	102		1	4		19		1,033057851
2019	1		8	102		1	5		11		2,621722846
2019	1		8	102		1	6		11		1,048218029
2019	1		8	102		1	7		19		0,710900474
2019	1		8	102		1	8		19		0,428265525
2019	1		8	102		1	9		19		1,503759398
2019	1		8	102		1	10		19		1,590909091
2019	1		8	102		1	11		19		0,697674419
2019	1		8	102		1	12		10		1,47601476
2019	1		8	102		1	13		19		0,668151448
2019	1		8	102		1	14		19		0,93676815
2019	1		8	102		1	15		19		1,715265866

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO	DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	1	8	102	1		16			11	1,518026565
2019	1	8	102	1		17			19	1,360544218
2019	1	8	102	1		18			19	1,075268817
2019	1	8	102	1		19			10	1,28440367
2019	1	8	102	1		20			19	0,246305419
2019	1	8	102	1		21			10	0,863557858
2019	1	8	102	1		22			19	0,694444444
2019	1	8	102	1		23			10	1,636363636
2019	1	8	102	1		24			19	1,912568306
2019	1	8	102	1		25			19	0,847457627
2019	1	8	102	1		26			19	0,85106383
2019	1	8	102	1		27			19	2,227722772
2019	1	8	102	1		28			19	0,421940928
2019	1	8	102	1		29			19	0,968992248
2019	1	8	102	1		30			19	0,938967136
2019	1	8	102	1		31			19	0,617283951
2019	1	8	102	2		2			10	0,266240682
2019	1	8	102	2		3			10	0,324287421
2019	1	8	102	2		4			10	0,18527876
2019	1	8	102	2		5			10	0,389656394
2019	1	8	102	2		6			11	2,258373206
2019	1	8	102	2		7			10	0,312430261
2019	1	8	102	2		8			10	0,146386093
2019	1	8	102	2		9			10	0,26560425
2019	1	8	102	2		10			10	0,171200304
2019	1	8	102	2		11			10	0,203064427
2019	1	8	102	2		12			10	0,296735905
2019	1	8	102	2		13			20	0,538406317
2019	1	8	102	2		14			10	0,329188003
2019	1	8	102	2		15			10	0,207939509
2019	1	8	102	2		16			10	0,273490916
2019	1	8	102	2		17			10	0,428624674
2019	1	8	102	2		18			10	0,383877159
2019	1	8	102	2		19			10	0,336385722
2019	1	8	102	2		20			11	0,223613596
2019	1	8	102	2		21			10	0,220062351
2019	1	8	102	2		22			10	0,243263473
2019	1	8	102	2		23			10	0,233781414
2019	1	8	102	2		24			10	0,254345061
2019	1	8	102	2		25			10	0,401445203
2019	1	8	102	2		26			11	0,399760144
2019	1	8	102	2		27			20	0,231660232
2019	1	8	102	2		28			10	0,115118956
2019	1	8	102	2		29			10	0,445218738
2019	1	8	102	2		30			10	0,456168187
2019	1	8	102	2		31			10	0,321773329
2019	1	13	102	1		2			10	1,988836851
2019	1	13	102	1		3			19	2,403912385
2019	1	13	102	1		4			19	2,367066895
2019	1	13	102	1		5			19	2,528985507
2019	1	13	102	1		6			19	2,032487797
2019	1	13	102	1		7			19	2,259629967
2019	1	13	102	1		8			19	2,371882412
2019	1	13	102	1		9			19	2,35769372
2019	1	13	102	1		10			19	2,748189178
2019	1	13	102	1		11			19	2,39371204
2019	1	13	102	1		12			19	2,278722157
2019	1	13	102	1		13			19	2,438667155
2019	1	13	102	1		14			19	3,045001347
2019	1	13	102	1		15			19	2,941943901
2019	1	13	102	1		16			19	2,74750677
2019	1	13	102	1		17			19	2,539023246
2019	1	13	102	1		18			19	2,646914274
2019	1	13	102	1		19			19	1,806459108
2019	1	13	102	1		20			19	1,823087581
2019	1	13	102	1		21			19	2,328957716
2019	1	13	102	1		22			19	2,206870083
2019	1	13	102	1		23			19	2,282828283
2019	1	13	102	1		24			19	2,852395458
2019	1	13	102	1		25			19	2,473596442
2019	1	13	102	1		26			19	1,991695404
2019	1	13	102	1		27			19	2,125869848
2019	1	13	102	1		28			19	2,943401417
2019	1	13	102	1		29			19	2,785552446

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO	DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	1	13	102	1		30			19	2,395247828
2019	1	13	102	1		31			19	2,577909403
2019	1	13	102	2		2			10	0,305828044
2019	1	13	102	2		3			10	0,285483437
2019	1	13	102	2		4			10	0,294504339
2019	1	13	102	2		5			10	0,277809932
2019	1	13	102	2		6			19	0,274202148
2019	1	13	102	2		7			10	0,245607406
2019	1	13	102	2		8			11	0,215296841
2019	1	13	102	2		9			10	0,239915193
2019	1	13	102	2		10			10	0,2297593
2019	1	13	102	2		11			10	0,22323984
2019	1	13	102	2		12			10	0,217516474
2019	1	13	102	2		13			19	0,435492651
2019	1	13	102	2		14			11	0,230996508
2019	1	13	102	2		15			10	0,271883996
2019	1	13	102	2		16			10	0,253569263
2019	1	13	102	2		17			10	0,290160907
2019	1	13	102	2		18			10	0,200044454
2019	1	13	102	2		19			10	0,242159353
2019	1	13	102	2		20			20	0,346718271
2019	1	13	102	2		21			10	0,221494607
2019	1	13	102	2		22			10	0,26159921
2019	1	13	102	2		23			9	0,203040114
2019	1	13	102	2		24			10	0,167457438
2019	1	13	102	2		25			10	0,358465064
2019	1	13	102	2		26			10	0,2349595
2019	1	13	102	2		27			20	0,854092527
2019	1	13	102	2		28			10	0,212201592
2019	1	13	102	2		29			10	0,193071492
2019	1	13	102	2		30			9	0,155806577
2019	1	13	102	2		31			10	0,149640288
2019	1	15	102	1		2			10	0,783545544
2019	1	15	102	1		3			10	1,102130786
2019	1	15	102	1		4			10	1,257183908
2019	1	15	102	1		5			11	1,087832393
2019	1	15	102	1		6			10	0,947225981
2019	1	15	102	1		7			10	0,727272727
2019	1	15	102	1		8			10	0,824553367
2019	1	15	102	1		9			10	0,891452543
2019	1	15	102	1		10			19	1,907356948
2019	1	15	102	1		11			10	0,928454397
2019	1	15	102	1		12			10	0,874769797
2019	1	15	102	1		13			18	1,391118245
2019	1	15	102	1		14			10	1,496478873
2019	1	15	102	1		15			19	1,23655914
2019	1	15	102	1		16			18	1,296111665
2019	1	15	102	1		17			18	0,733855186
2019	1	15	102	1		18			19	0,762527233
2019	1	15	102	1		19			10	0,656565657
2019	1	15	102	1		20			19	1,140873016
2019	1	15	102	1		21			19	0,744047619
2019	1	15	102	1		22			19	1,271186441
2019	1	15	102	1		23			10	0,777453839
2019	1	15	102	1		24			19	0,903614458
2019	1	15	102	1		25			19	1,015228426
2019	1	15	102	1		26			10	1,5969163
2019	1	15	102	1		27			18	0,996126176
2019	1	15	102	1		28			18	2,54274441
2019	1	15	102	1		29			19	1,597114889
2019	1	15	102	1		30			19	0,769927536
2019	1	15	102	1		31			19	0,882658359
2019	1	15	102	2		2			10	0,441320693
2019	1	15	102	2		3			10	0,524200594
2019	1	15	102	2		4			10	0,558256798
2019	1	15	102	2		5			11	0,388780894
2019	1	15	102	2		6			10	0,563932818
2019	1	15	102	2		7			10	0,505588079
2019	1	15	102	2		8			10	0,486299448
2019	1	15	102	2		9			10	0,334343329
2019	1	15	102	2		10			10	0,359823173
2019	1	15	102	2		11			10	0,435290371
2019	1	15	102	2		12			10	0,387889236
2019	1	15	102	2		13			11	0,783074598

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO	DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	1	15	102	2		14			10	0,385080867
2019	1	15	102	2		15			10	0,289885081
2019	1	15	102	2		16			10	0,250156348
2019	1	15	102	2		17			10	0,510412413
2019	1	15	102	2		18			10	0,414892456
2019	1	15	102	2		19			10	0,322617813
2019	1	15	102	2		20			11	0,348960704
2019	1	15	102	2		21			10	0,33943633
2019	1	15	102	2		22			10	0,217604178
2019	1	15	102	2		23			10	0,451852596
2019	1	15	102	2		24			10	0,377121307
2019	1	15	102	2		25			10	0,438504907
2019	1	15	102	2		26			10	0,401158903
2019	1	15	102	2		27			19	0,375037504
2019	1	15	102	2		28			10	0,387210975
2019	1	15	102	2		29			10	0,37139219
2019	1	15	102	2		30			10	0,298602965
2019	1	15	102	2		31			10	0,428265525
2019	1	17	102	1		2			10	5,039787798
2019	1	17	102	1		3			19	6,048387097
2019	1	17	102	1		4			19	7,560137457
2019	1	17	102	1		5			10	2,51572327
2019	1	17	102	1		6			19	10,32608696
2019	1	17	102	1		7			19	13,30049261
2019	1	17	102	1		8			19	5,905511811
2019	1	17	102	1		9			19	3,180212014
2019	1	17	102	1		10			19	3,636363636
2019	1	17	102	1		11			19	2,222222222
2019	1	17	102	1		12			10	0,71942446
2019	1	17	102	1		13			19	0
2019	1	17	102	1		14			19	3,157894737
2019	1	17	102	1		15			19	0,980392157
2019	1	17	102	1		16			19	4,597701149
2019	1	17	102	1		17			19	2,173913043
2019	1	17	102	1		18			19	2,631578947
2019	1	17	102	1		19			10	1,5625
2019	1	17	102	1		20			19	0,81300813
2019	1	17	102	1		21			10	2,5
2019	1	17	102	1		22			19	0,934579439
2019	1	17	102	1		23			19	1,709401709
2019	1	17	102	1		24			19	1,333333333
2019	1	17	102	1		25			19	2,857142857
2019	1	17	102	1		26			10	1,98019802
2019	1	17	102	1		27			19	4,545454545
2019	1	17	102	1		28			19	4,716981132
2019	1	17	102	1		29			9	0
2019	1	17	102	1		30			19	1,428571429
2019	1	17	102	1		31			19	1,986754967
2019	1	17	102	2		2			10	0,973451327
2019	1	17	102	2		3			10	0,826446281
2019	1	17	102	2		4			10	1,785714286
2019	1	17	102	2		5			11	0,727650728
2019	1	17	102	2		6			11	0,628601362
2019	1	17	102	2		7			19	1,466544455
2019	1	17	102	2		8			10	0,433705081
2019	1	17	102	2		9			10	0,717547293
2019	1	17	102	2		10			10	1,008303677
2019	1	17	102	2		11			10	0,691857371
2019	1	17	102	2		12			10	0,584795322
2019	1	17	102	2		13			19	1,058710298
2019	1	17	102	2		14			10	0,139372822
2019	1	17	102	2		15			19	0,881410256
2019	1	17	102	2		16			19	1,97044335
2019	1	17	102	2		17			10	1,034259858
2019	1	17	102	2		18			10	0,498220641
2019	1	17	102	2		19			10	0,527549824
2019	1	17	102	2		20			20	1,463414634
2019	1	17	102	2		21			10	0,419287212
2019	1	17	102	2		22			10	1,675552171
2019	1	17	102	2		23			19	1,20593692
2019	1	17	102	2		24			10	0,845665962
2019	1	17	102	2		25			10	0,676183321
2019	1	17	102	2		26			10	0,497822029
2019	1	17	102	2		27			20	0,738552437

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO	DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	1	17	102	2		28			10	0,991735537
2019	1	17	102	2		29			10	0,772200772
2019	1	17	102	2		30			19	1,43442623
2019	1	17	102	2		31			19	1,322482197
2019	1	18	102	2		2			19	1,031687546
2019	1	18	102	2		3			10	0,662251656
2019	1	18	102	2		4			19	0,908173562
2019	1	18	102	2		5			19	0,360910605
2019	1	18	102	2		6			19	1,223865375
2019	1	18	102	2		7			19	0,458715596
2019	1	18	102	2		8			10	0,381296408
2019	1	18	102	2		9			19	0,543618949
2019	1	18	102	2		10			19	0,256147541
2019	1	18	102	2		11			19	0,476064533
2019	1	18	102	2		12			10	0,540540541
2019	1	18	102	2		13			20	0,351988736
2019	1	18	102	2		14			19	0,428103752
2019	1	18	102	2		15			20	0,454397923
2019	1	18	102	2		16			19	0,284017557
2019	1	18	102	2		17			19	0,273972603
2019	1	18	102	2		18			18	0,529100529
2019	1	18	102	2		19			18	0,292942743
2019	1	18	102	2		20			20	0,364721485
2019	1	18	102	2		21			19	0,557620818
2019	1	18	102	2		22			19	0,807799443
2019	1	18	102	2		23			19	0,346120565
2019	1	18	102	2		24			19	0,20097617
2019	1	18	102	2		25			19	0,326708413
2019	1	18	102	2		26			10	0,477147162
2019	1	18	102	2		27			20	0,68137573
2019	1	18	102	2		28			19	0,380848749
2019	1	18	102	2		29			19	0,469483568
2019	1	18	102	2		30			19	0,392875851
2019	1	18	102	2		31			19	0,35297312
2019	1	19	102	1		2			19	1,791895744
2019	1	19	102	1		3			19	1,434308663
2019	1	19	102	1		4			19	1,011673152
2019	1	19	102	1		5			19	1,758843072
2019	1	19	102	1		6			19	1,262505955
2019	1	19	102	1		7			19	2,003379194
2019	1	19	102	1		8			19	1,929674099
2019	1	19	102	1		9			19	1,996410947
2019	1	19	102	1		10			19	1,604519774
2019	1	19	102	1		11			19	1,384156729
2019	1	19	102	1		12			19	1,651143099
2019	1	19	102	1		13			19	1,603888214
2019	1	19	102	1		14			19	1,684301447
2019	1	19	102	1		15			19	1,567532746
2019	1	19	102	1		16			19	1,941959415
2019	1	19	102	1		17			19	1,763705907
2019	1	19	102	1		18			19	1,655553001
2019	1	19	102	1		19			19	1,339464214
2019	1	19	102	1		20			19	2,004900869
2019	1	19	102	1		21			19	1,359184489
2019	1	19	102	1		22			19	1,764217518
2019	1	19	102	1		23			19	3,125646864
2019	1	19	102	1		24			19	2,978546136
2019	1	19	102	1		25			19	2,198023795
2019	1	19	102	1		26			19	2,188893393
2019	1	19	102	1		27			19	1,717106675
2019	1	19	102	1		28			19	2,362721505
2019	1	19	102	1		29			19	2,476116202
2019	1	19	102	1		30			19	2,189490446
2019	1	19	102	1		31			19	2,57221168
2019	1	19	102	2		2			19	0,570981619
2019	1	19	102	2		3			19	0,788283782
2019	1	19	102	2		4			19	0,621072089
2019	1	19	102	2		5			19	0,575149213
2019	1	19	102	2		6			19	0,507743082
2019	1	19	102	2		7			19	0,716861264
2019	1	19	102	2		8			19	0,584317938
2019	1	19	102	2		9			19	0,670292146
2019	1	19	102	2		10			19	0,594385874
2019	1	19	102	2		11			19	0,469616615

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO_RESTO	DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	1	19	102	2		12	19	0,507708963	
2019	1	19	102	2		13	19	0,575599583	
2019	1	19	102	2		14	19	0,548221569	
2019	1	19	102	2		15	19	0,608741528	
2019	1	19	102	2		16	19	1,14148759	
2019	1	19	102	2		17	19	0,571085062	
2019	1	19	102	2		18	19	0,608015883	
2019	1	19	102	2		19	19	0,507264756	
2019	1	19	102	2		20	20	0,62008899	
2019	1	19	102	2		21	19	0,565078883	
2019	1	19	102	2		22	19	0,586571698	
2019	1	19	102	2		23	19	0,559380379	
2019	1	19	102	2		24	19	0,521678138	
2019	1	19	102	2		25	19	0,497002209	
2019	1	19	102	2		26	20	0,543407944	
2019	1	19	102	2		27	19	0,427498057	
2019	1	19	102	2		28	16	0,566531435	
2019	1	19	102	2		29	19	0,499365214	
2019	1	19	102	2		30	19	0,589983205	
2019	1	19	102	2		31	19	0,48791019	
2019	1	20	102	1		2	19	2,6448737	
2019	1	20	102	1		3	19	2,811594203	
2019	1	20	102	1		4	19	2,430939227	
2019	1	20	102	1		5	19	2,610377054	
2019	1	20	102	1		6	19	2,133516862	
2019	1	20	102	1		7	19	2,114508783	
2019	1	20	102	1		8	19	3,775959723	
2019	1	20	102	1		9	19	2,312312312	
2019	1	20	102	1		10	19	2,009419152	
2019	1	20	102	1		11	19	2,402676399	
2019	1	20	102	1		12	19	2,545454545	
2019	1	20	102	1		13	19	2,643637645	
2019	1	20	102	1		14	19	2,544683429	
2019	1	20	102	1		15	19	2,074203915	
2019	1	20	102	1		16	19	2,325581395	
2019	1	20	102	1		17	19	2,195488722	
2019	1	20	102	1		18	19	2,323503128	
2019	1	20	102	1		19	18	1,905684755	
2019	1	20	102	1		20	19	2,491803279	
2019	1	20	102	1		21	19	2,721451441	
2019	1	20	102	1		22	19	2,013221154	
2019	1	20	102	1		23	19	2,428006776	
2019	1	20	102	1		24	19	2,921798911	
2019	1	20	102	1		25	19	2,919708029	
2019	1	20	102	1		26	19	2,017195767	
2019	1	20	102	1		27	19	1,768172888	
2019	1	20	102	1		28	19	1,960784314	
2019	1	20	102	1		29	19	2,452830189	
2019	1	20	102	1		30	19	2,3992891	
2019	1	20	102	1		31	19	2,70021479	
2019	1	20	102	2		2	10	0,466659375	
2019	1	20	102	2		3	19	0,718704849	
2019	1	20	102	2		4	19	0,636494838	
2019	1	20	102	2		5	19	0,46633983	
2019	1	20	102	2		6	19	0,611166171	
2019	1	20	102	2		7	19	0,605410047	
2019	1	20	102	2		8	10	0,347772192	
2019	1	20	102	2		9	20	1,533024281	
2019	1	20	102	2		10	10	0,297051489	
2019	1	20	102	2		11	19	0,475360482	
2019	1	20	102	2		12	10	0,491078736	
2019	1	20	102	2		13	19	0,507023909	
2019	1	20	102	2		14	19	0,541227603	
2019	1	20	102	2		15	19	0,468959357	
2019	1	20	102	2		16	19	0,463203142	
2019	1	20	102	2		17	10	0,351602146	
2019	1	20	102	2		18	10	0,352162777	
2019	1	20	102	2		19	10	0,680091185	
2019	1	20	102	2		20	20	0,542195893	
2019	1	20	102	2		21	19	0,484908113	
2019	1	20	102	2		22	20	0,987134503	
2019	1	20	102	2		23	19	0,627372008	
2019	1	20	102	2		24	20	0,592422503	
2019	1	20	102	2		25	19	0,410538483	

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	1	20	102	2		26		10	0,40200605
2019	1	20	102	2		27		20	0,403225806
2019	1	20	102	2		28		19	0,532803181
2019	1	20	102	2		29		19	0,456846994
2019	1	20	102	2		30		19	0,453608247
2019	1	20	102	2		31		19	0,567100556
2019	1	23	102	1		2		19	1,4571949
2019	1	23	102	1		3		19	0,767754319
2019	1	23	102	1		4		19	1,369863014
2019	1	23	102	1		5		19	0,315955766
2019	1	23	102	1		6		19	0,744878957
2019	1	23	102	1		7		19	2,992125984
2019	1	23	102	1		8		19	2,443280977
2019	1	23	102	1		9		19	1,672862454
2019	1	23	102	1		10		19	0,618556701
2019	1	23	102	1		11		19	1,984126984
2019	1	23	102	1		12		19	1,807228916
2019	1	23	102	1		13		19	0,798403194
2019	1	23	102	1		14		19	0,88028169
2019	1	23	102	1		15		19	0,857632933
2019	1	23	102	1		16		19	1,236749117
2019	1	23	102	1		17		19	1,109057301
2019	1	23	102	1		18		19	1,53256705
2019	1	23	102	1		19		19	1,025641026
2019	1	23	102	1		20		19	1,022494888
2019	1	23	102	1		21		19	1,824817518
2019	1	23	102	1		22		19	1,440329218
2019	1	23	102	1		23		19	1,293900185
2019	1	23	102	1		24		19	3,213610586
2019	1	23	102	1		25		19	1,167315175
2019	1	23	102	1		26		19	0,82815735
2019	1	23	102	1		27		19	0,395256917
2019	1	23	102	1		28		19	0,610997963
2019	1	23	102	1		29		19	3,098106713
2019	1	23	102	1		30		19	0,157232704
2019	1	23	102	1		31		19	1,236476043
2019	1	23	102	2		2		10	0,407083249
2019	1	23	102	2		3		10	0,265392781
2019	1	23	102	2		4		10	0,341849586
2019	1	23	102	2		5		11	0,534649393
2019	1	23	102	2		6		19	0,616808019
2019	1	23	102	2		7		20	0,526315789
2019	1	23	102	2		8		10	0,295043273
2019	1	23	102	2		9		10	0,302702703
2019	1	23	102	2		10		10	0,328875247
2019	1	23	102	2		11		10	0,330906684
2019	1	23	102	2		12		10	0,366837858
2019	1	23	102	2		13		20	0,323275862
2019	1	23	102	2		14		10	0,260529744
2019	1	23	102	2		15		10	0,280051702
2019	1	23	102	2		16		10	0,283533261
2019	1	23	102	2		17		10	0,114731528
2019	1	23	102	2		18		10	0,170104189
2019	1	23	102	2		19		10	0,362506473
2019	1	23	102	2		20		20	0,349514563
2019	1	23	102	2		21		10	0,401248328
2019	1	23	102	2		22		10	0,191158901
2019	1	23	102	2		23		10	0,140679953
2019	1	23	102	2		24		10	0,479041916
2019	1	23	102	2		25		10	0,539652745
2019	1	23	102	2		26		10	0,400320256
2019	1	23	102	2		27		20	0,209555742
2019	1	23	102	2		28		10	0,311873468
2019	1	23	102	2		29		10	0,408850409
2019	1	23	102	2		30		10	0,339520145
2019	1	23	102	2		31		9	0,272541449
2019	1	25	102	1		2		10	3,838799824
2019	1	25	102	1		3		10	4,11582886
2019	1	25	102	1		4		10	3,70935735
2019	1	25	102	1		5		10	4,325618516
2019	1	25	102	1		6		10	4,050589643
2019	1	25	102	1		7		19	4,347826087
2019	1	25	102	1		8		10	4,364295125
2019	1	25	102	1		9		10	3,51296671

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO	DPTO	PORCENTAJE_LLAMADAS	CAIDAS
2019	1		25	102		1	10		10		3,09199155
2019	1		25	102		1	11		19		4,312063809
2019	1		25	102		1	12		10		3,787299158
2019	1		25	102		1	13		19		3,677904709
2019	1		25	102		1	14		19		4,088630968
2019	1		25	102		1	15		19		3,835616438
2019	1		25	102		1	16		19		3,88165038
2019	1		25	102		1	17		10		3,213207882
2019	1		25	102		1	18		10		3,164441193
2019	1		25	102		1	19		10		3,38706756
2019	1		25	102		1	20		19		3,947750363
2019	1		25	102		1	21		10		2,973708069
2019	1		25	102		1	22		10		2,928144866
2019	1		25	102		1	23		19		4,255926878
2019	1		25	102		1	24		19		4,609218437
2019	1		25	102		1	25		19		5,080831409
2019	1		25	102		1	26		10		2,111189303
2019	1		25	102		1	27		19		4,12371134
2019	1		25	102		1	28		16		3,745553463
2019	1		25	102		1	29		10		2,577741408
2019	1		25	102		1	30		19		4,95049505
2019	1		25	102		1	31		19		3,907134768
2019	1		25	102		2	2		10		1,572533089
2019	1		25	102		2	3		10		1,40963799
2019	1		25	102		2	4		10		1,198420904
2019	1		25	102		2	5		10		1,369227199
2019	1		25	102		2	6		19		1,704934354
2019	1		25	102		2	7		19		1,435624763
2019	1		25	102		2	8		10		0,745335401
2019	1		25	102		2	9		10		1,052923247
2019	1		25	102		2	10		10		0,648099492
2019	1		25	102		2	11		10		0,764031737
2019	1		25	102		2	12		10		0,806087937
2019	1		25	102		2	13		19		1,014637392
2019	1		25	102		2	14		10		0,73639466
2019	1		25	102		2	15		10		0,618905821
2019	1		25	102		2	16		10		0,746224808
2019	1		25	102		2	17		10		0,592371145
2019	1		25	102		2	18		10		0,608784706
2019	1		25	102		2	19		10		0,832785448
2019	1		25	102		2	20		19		1,197023617
2019	1		25	102		2	21		10		0,666896631
2019	1		25	102		2	22		10		0,652405746
2019	1		25	102		2	23		10		0,641993958
2019	1		25	102		2	24		10		0,537833828
2019	1		25	102		2	25		10		1,173346508
2019	1		25	102		2	26		10		0,741029641
2019	1		25	102		2	27		19		1,01804337
2019	1		25	102		2	28		16		0,73034349
2019	1		25	102		2	29		10		0,624570608
2019	1		25	102		2	30		10		0,556130367
2019	1		25	102		2	31		10		0,631979384
2019	1		27	102		2	2		20		1,342281879
2019	1		27	102		2	3		19		1,01488498
2019	1		27	102		2	4		20		1,088534107
2019	1		27	102		2	5		20		0,515463918
2019	1		27	102		2	6		19		0,629811057
2019	1		27	102		2	7		20		0,88028169
2019	1		27	102		2	8		19		0,286532951
2019	1		27	102		2	9		19		0,742390497
2019	1		27	102		2	10		20		1,109350238
2019	1		27	102		2	11		19		0,883002208
2019	1		27	102		2	12		20		0,594227504
2019	1		27	102		2	13		20		0,375234522
2019	1		27	102		2	14		20		0,695047785
2019	1		27	102		2	15		19		1,106719368
2019	1		27	102		2	16		19		0,468384075
2019	1		27	102		2	17		20		0,37037037
2019	1		27	102		2	18		20		0,282752121
2019	1		27	102		2	19		20		1,340482574
2019	1		27	102		2	20		20		0,739957717
2019	1		27	102		2	21		20		0,625
2019	1		27	102		2	22		19		0,735294118
2019	1		27	102		2	23		20		0,964320154

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO_DPTO	PORCENTAJE_LLAMADAS	CAIDAS
2019	1	27	102	2		24		20		0,876338851
2019	1	27	102	2		25		20		0,653594771
2019	1	27	102	2		26		20		0,658616905
2019	1	27	102	2		27		20		0,780379041
2019	1	27	102	2		28		19		0,339558574
2019	1	27	102	2		29		19		0,533333333
2019	1	27	102	2		30		19		0,638686131
2019	1	27	102	2		31		20		1,183431953
2019	1	41	102	1		2		19		1,149425287
2019	1	41	102	1		3		19		
2019	1	41	102	1		4		19		0,766283525
2019	1	41	102	1		5		19		0,371057514
2019	1	41	102	1		6		19		1,025641026
2019	1	41	102	1		7		19		1,151631478
2019	1	41	102	1		8		19		1,515151515
2019	1	41	102	1		9		19		1,158301158
2019	1	41	102	1		10		19		1,188118812
2019	1	41	102	1		11		19		1,645338208
2019	1	41	102	1		12		19		0,81300813
2019	1	41	102	1		13		19		1,836734694
2019	1	41	102	1		14		19		0,167504188
2019	1	41	102	1		15		19		0,801603206
2019	1	41	102	1		16		19		2,895752896
2019	1	41	102	1		17		19		0,767754319
2019	1	41	102	1		18		19		1,162790698
2019	1	41	102	1		19		19		2,755905512
2019	1	41	102	1		20		19		0,891265597
2019	1	41	102	1		21		19		0,757575758
2019	1	41	102	1		22		19		2,348993289
2019	1	41	102	1		23		19		1,234567901
2019	1	41	102	1		24		19		1,773049645
2019	1	41	102	1		25		19		1,026392962
2019	1	41	102	1		26		9		0,720720721
2019	1	41	102	1		27		19		1,326699834
2019	1	41	102	1		28		19		1,356589147
2019	1	41	102	1		29		19		1,071428571
2019	1	41	102	1		30		19		1,83639399
2019	1	41	102	1		31		19		1,383125864
2019	1	41	102	2		2		10		1,04298183
2019	1	41	102	2		3		10		1,06918239
2019	1	41	102	2		4		10		1,427473372
2019	1	41	102	2		5		10		1,071332436
2019	1	41	102	2		6		10		1,597265382
2019	1	41	102	2		7		19		2,136232325
2019	1	41	102	2		8		10		0,665313487
2019	1	41	102	2		9		10		1,357827476
2019	1	41	102	2		10		10		1,112046165
2019	1	41	102	2		11		10		1,288582559
2019	1	41	102	2		12		10		0,86929525
2019	1	41	102	2		13		19		1,583333333
2019	1	41	102	2		14		10		0,573099415
2019	1	41	102	2		15		19		2,086190717
2019	1	41	102	2		16		19		1,390498262
2019	1	41	102	2		17		10		1,064924064
2019	1	41	102	2		18		10		0,659077292
2019	1	41	102	2		19		10		0,646863028
2019	1	41	102	2		20		20		1,666031988
2019	1	41	102	2		21		10		0,578845817
2019	1	41	102	2		22		19		1,629464286
2019	1	41	102	2		23		19		1,67766558
2019	1	41	102	2		24		10		0,577026302
2019	1	41	102	2		25		10		0,520696019
2019	1	41	102	2		26		10		0,484724791
2019	1	41	102	2		27		20		1,258215962
2019	1	41	102	2		28		16		0,647766094
2019	1	41	102	2		29		10		0,450833061
2019	1	41	102	2		30		9		0,718291223
2019	1	41	102	2		31		19		1,557006529
2019	1	44	102	1		2		19		1,481481481
2019	1	44	102	1		3		19		1,326475365
2019	1	44	102	1		4		19		1,12704918
2019	1	44	102	1		5		18		1,275992439
2019	1	44	102	1		6		18		0,757744595
2019	1	44	102	1		7		19		0,879604178

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO_RESTO	DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	1	44	102	1		8		19	0,979094999
2019	1	44	102	1		9		18	1,275806077
2019	1	44	102	1		10		19	1,085230281
2019	1	44	102	1		11		19	1,386345802
2019	1	44	102	1		12		19	1,091107474
2019	1	44	102	1		13		19	1,174345077
2019	1	44	102	1		14		19	1,11220959
2019	1	44	102	1		15		19	0,987475915
2019	1	44	102	1		16		19	1,276498746
2019	1	44	102	1		17		19	1,383928571
2019	1	44	102	1		18		19	0,964785335
2019	1	44	102	1		19		19	1,17411941
2019	1	44	102	1		20		19	1,285347044
2019	1	44	102	1		21		19	1,335012594
2019	1	44	102	1		22		19	1,330550483
2019	1	44	102	1		23		19	0,945094509
2019	1	44	102	1		24		19	1,617647059
2019	1	44	102	1		25		19	1,406712734
2019	1	44	102	1		26		19	0,969227041
2019	1	44	102	1		27		19	1,22646891
2019	1	44	102	1		28		19	1,346886912
2019	1	44	102	1		29		19	1,531999012
2019	1	44	102	1		30		19	1,321162623
2019	1	44	102	1		31		19	1,272984441
2019	1	44	102	2		2		11	1,033852361
2019	1	44	102	2		3		10	1,223601388
2019	1	44	102	2		4		10	1,146735315
2019	1	44	102	2		5		10	1,013513514
2019	1	44	102	2		6		19	1,298426364
2019	1	44	102	2		7		19	0,801526718
2019	1	44	102	2		8		11	0,467644085
2019	1	44	102	2		9		10	0,547478557
2019	1	44	102	2		10		10	0,63717025
2019	1	44	102	2		11		10	0,574677508
2019	1	44	102	2		12		10	1,858583088
2019	1	44	102	2		13		20	0,899245794
2019	1	44	102	2		14		10	0,365274565
2019	1	44	102	2		15		10	0,446726573
2019	1	44	102	2		16		10	0,429857682
2019	1	44	102	2		17		10	0,509337861
2019	1	44	102	2		18		10	0,407195819
2019	1	44	102	2		19		10	0,500981653
2019	1	44	102	2		20		19	0,606299213
2019	1	44	102	2		21		10	0,546479521
2019	1	44	102	2		22		10	0,642835686
2019	1	44	102	2		23		10	0,406815636
2019	1	44	102	2		24		10	0,645431184
2019	1	44	102	2		25		10	0,486573048
2019	1	44	102	2		26		10	0,572853484
2019	1	44	102	2		27		19	0,447081775
2019	1	44	102	2		28		10	0,398238098
2019	1	44	102	2		29		10	0,35305048
2019	1	44	102	2		30		10	0,418255628
2019	1	44	102	2		31		10	0,25634613
2019	1	47	102	1		2		19	1,055099648
2019	1	47	102	1		3		19	1,23553638
2019	1	47	102	1		4		19	0,757575758
2019	1	47	102	1		5		19	0,701965503
2019	1	47	102	1		6		19	0,854344655
2019	1	47	102	1		7		19	0,872154861
2019	1	47	102	1		8		19	0,67061144
2019	1	47	102	1		9		19	1,429755491
2019	1	47	102	1		10		19	0,886449979
2019	1	47	102	1		11		19	0,889576484
2019	1	47	102	1		12		19	0,867924528
2019	1	47	102	1		13		19	0,799308706
2019	1	47	102	1		14		19	1,08608206
2019	1	47	102	1		15		19	0,965107647
2019	1	47	102	1		16		19	1,072033101
2019	1	47	102	1		17		19	0,732451679
2019	1	47	102	1		18		19	1,122974963
2019	1	47	102	1		19		19	0,898311175
2019	1	47	102	1		20		19	0,638122684
2019	1	47	102	1		21		19	0,523876687

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO_RESTO	DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	1	47	102	1		22		19	0,983796296
2019	1	47	102	1		23		19	0,864864865
2019	1	47	102	1		24		19	1,200480192
2019	1	47	102	1		25		19	0,610873549
2019	1	47	102	1		26		19	0,745650373
2019	1	47	102	1		27		19	0,870890486
2019	1	47	102	1		28		19	0,758164852
2019	1	47	102	1		29		19	0,84
2019	1	47	102	1		30		19	0,593824228
2019	1	47	102	1		31		19	0,774706868
2019	1	47	102	2		2		10	0,524027205
2019	1	47	102	2		3		10	0,653664809
2019	1	47	102	2		4		10	0,776699029
2019	1	47	102	2		5		10	0,426774483
2019	1	47	102	2		6		19	0,534423137
2019	1	47	102	2		7		19	0,743924616
2019	1	47	102	2		8		10	0,310559006
2019	1	47	102	2		9		11	0,551243109
2019	1	47	102	2		10		10	0,534526017
2019	1	47	102	2		11		10	0,570101351
2019	1	47	102	2		12		10	0,818133047
2019	1	47	102	2		13		19	0,448262981
2019	1	47	102	2		14		10	0,387906446
2019	1	47	102	2		15		10	0,522079617
2019	1	47	102	2		16		10	0,27734635
2019	1	47	102	2		17		10	0,399395509
2019	1	47	102	2		18		10	0,50731125
2019	1	47	102	2		19		10	0,357678551
2019	1	47	102	2		20		20	0,760731751
2019	1	47	102	2		21		10	0,406419341
2019	1	47	102	2		22		10	0,463439753
2019	1	47	102	2		23		10	0,375068946
2019	1	47	102	2		24		10	0,58239123
2019	1	47	102	2		25		10	0,284557295
2019	1	47	102	2		26		10	0,213390237
2019	1	47	102	2		27		20	0,163094129
2019	1	47	102	2		28		10	0,168331276
2019	1	47	102	2		29		10	0,210575573
2019	1	47	102	2		30		10	0,182859929
2019	1	47	102	2		31		10	0,252131108
2019	1	50	102	1		2		19	3,034215623
2019	1	50	102	1		3		19	4,402895054
2019	1	50	102	1		4		19	2,047413793
2019	1	50	102	1		5		19	3,827751196
2019	1	50	102	1		6		19	3,495260664
2019	1	50	102	1		7		19	2,899575672
2019	1	50	102	1		8		19	3,645200486
2019	1	50	102	1		9		19	4,234297812
2019	1	50	102	1		10		19	2,810018326
2019	1	50	102	1		11		19	3,042035398
2019	1	50	102	1		12		19	1,82160804
2019	1	50	102	1		13		19	2,384737679
2019	1	50	102	1		14		19	1,9377569
2019	1	50	102	1		15		19	2,226127709
2019	1	50	102	1		16		19	3,407880724
2019	1	50	102	1		17		19	4,169113329
2019	1	50	102	1		18		19	3,830760435
2019	1	50	102	1		19		19	2,699309479
2019	1	50	102	1		20		19	2,31292517
2019	1	50	102	1		21		19	2,628811777
2019	1	50	102	1		22		19	3,181029497
2019	1	50	102	1		23		19	1,944608132
2019	1	50	102	1		24		19	2,401372213
2019	1	50	102	1		25		19	2,430555556
2019	1	50	102	1		26		19	3,06122449
2019	1	50	102	1		27		19	2,163833076
2019	1	50	102	1		28		19	2,714373843
2019	1	50	102	1		29		19	2,82208589
2019	1	50	102	1		30		19	3,112244898
2019	1	50	102	1		31		19	3,630363036
2019	1	50	102	2		2		10	1,125127855
2019	1	50	102	2		3		19	1,642411642
2019	1	50	102	2		4		19	1,284004353
2019	1	50	102	2		5		19	1,684816108

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO	DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	1	50	102	2		6			20	1,662440124
2019	1	50	102	2		7			20	0,994318182
2019	1	50	102	2		8			19	0,810126582
2019	1	50	102	2		9			19	1,01888668
2019	1	50	102	2		10			19	1,134312967
2019	1	50	102	2		11			19	0,730498304
2019	1	50	102	2		12			19	0,995694295
2019	1	50	102	2		13			19	1,234205113
2019	1	50	102	2		14			19	0,724637681
2019	1	50	102	2		15			19	0,622665006
2019	1	50	102	2		16			19	0,845819236
2019	1	50	102	2		17			20	0,996346729
2019	1	50	102	2		18			19	1,204201896
2019	1	50	102	2		19			19	0,579710145
2019	1	50	102	2		20			19	0,914826498
2019	1	50	102	2		21			19	0,951683748
2019	1	50	102	2		22			20	5,204718945
2019	1	50	102	2		23			20	0,793913331
2019	1	50	102	2		24			19	0,756784969
2019	1	50	102	2		25			19	0,935078814
2019	1	50	102	2		26			20	0,626235992
2019	1	50	102	2		27			20	0,731962356
2019	1	50	102	2		28			19	0,902218971
2019	1	50	102	2		29			19	0,945454545
2019	1	50	102	2		30			19	1,05605199
2019	1	50	102	2		31			19	0,446317878
2019	1	52	102	1		2			19	1,472773949
2019	1	52	102	1		3			19	0,948977077
2019	1	52	102	1		4			19	1,328782153
2019	1	52	102	1		5			19	1,238825032
2019	1	52	102	1		6			19	0,972719141
2019	1	52	102	1		7			19	1,498637602
2019	1	52	102	1		8			19	1,341538462
2019	1	52	102	1		9			19	1,206140351
2019	1	52	102	1		10			19	1,211072664
2019	1	52	102	1		11			19	2,324778456
2019	1	52	102	1		12			19	1,358388046
2019	1	52	102	1		13			19	1,770267552
2019	1	52	102	1		14			19	1,545454545
2019	1	52	102	1		15			19	1,253844334
2019	1	52	102	1		16			19	1,515544041
2019	1	52	102	1		17			19	1,278737587
2019	1	52	102	1		18			19	0,883089495
2019	1	52	102	1		19			19	1,153703015
2019	1	52	102	1		20			19	1,331642359
2019	1	52	102	1		21			19	1,265175719
2019	1	52	102	1		22			19	1,002812768
2019	1	52	102	1		23			19	1,076509035
2019	1	52	102	1		24			19	1,167031364
2019	1	52	102	1		25			19	1,009597407
2019	1	52	102	1		26			19	1,234872808
2019	1	52	102	1		27			19	1,935642954
2019	1	52	102	1		28			19	1,409514221
2019	1	52	102	1		29			19	1,445534331
2019	1	52	102	1		30			19	1,155702311
2019	1	52	102	1		31			19	1,183286084
2019	1	52	102	2		2			20	0,583726415
2019	1	52	102	2		3			20	0,666805584
2019	1	52	102	2		4			19	0,340512095
2019	1	52	102	2		5			10	0,324522376
2019	1	52	102	2		6			19	0,285982919
2019	1	52	102	2		7			20	0,413137781
2019	1	52	102	2		8			19	0,513982536
2019	1	52	102	2		9			20	0,497271911
2019	1	52	102	2		10			20	0,495476088
2019	1	52	102	2		11			19	0,270815327
2019	1	52	102	2		12			20	0,462093863
2019	1	52	102	2		13			20	0,32207601
2019	1	52	102	2		14			19	0,304684525
2019	1	52	102	2		15			20	0,572297885
2019	1	52	102	2		16			20	0,518470512
2019	1	52	102	2		17			20	0,423790735
2019	1	52	102	2		18			20	0,270558918
2019	1	52	102	2		19			20	0,343227611

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO	DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	1	52	102	2		20			20	0,366642703
2019	1	52	102	2		21			20	0,456587911
2019	1	52	102	2		22			20	0,469862712
2019	1	52	102	2		23			20	0,450616828
2019	1	52	102	2		24			19	0,341005968
2019	1	52	102	2		25			20	0,508604473
2019	1	52	102	2		26			20	0,40355634
2019	1	52	102	2		27			20	0,362627986
2019	1	52	102	2		28			19	0,429730057
2019	1	52	102	2		29			20	0,510000797
2019	1	52	102	2		30			20	0,458785747
2019	1	52	102	2		31			19	0,402943238
2019	1	54	102	2		2			10	0,331458417
2019	1	54	102	2		3			10	0,346653828
2019	1	54	102	2		4			10	0,427818128
2019	1	54	102	2		5			10	0,281103592
2019	1	54	102	2		6			11	0,763619786
2019	1	54	102	2		7			11	0,402605092
2019	1	54	102	2		8			10	0,329659979
2019	1	54	102	2		9			10	0,202214733
2019	1	54	102	2		10			10	0,277777778
2019	1	54	102	2		11			10	0,311307491
2019	1	54	102	2		12			11	0,438878185
2019	1	54	102	2		13			20	0,49106266
2019	1	54	102	2		14			10	0,30032763
2019	1	54	102	2		15			10	0,255055566
2019	1	54	102	2		16			10	0,28092518
2019	1	54	102	2		17			10	0,271548704
2019	1	54	102	2		18			10	0,272925764
2019	1	54	102	2		19			10	0,390174692
2019	1	54	102	2		20			20	0,422275007
2019	1	54	102	2		21			10	0,332417979
2019	1	54	102	2		22			10	0,463000569
2019	1	54	102	2		23			10	0,263829039
2019	1	54	102	2		24			10	0,301672125
2019	1	54	102	2		25			10	0,336729408
2019	1	54	102	2		26			10	0,247166113
2019	1	54	102	2		27			20	0,347753512
2019	1	54	102	2		28			10	0,324594257
2019	1	54	102	2		29			10	0,597749648
2019	1	54	102	2		30			10	0,45981077
2019	1	54	102	2		31			10	0,242676374
2019	1	63	102	1		2			10	2,336448598
2019	1	63	102	1		3			10	2,465287617
2019	1	63	102	1		4			19	2,247536946
2019	1	63	102	1		5			10	1,896858328
2019	1	63	102	1		6			11	1,90448286
2019	1	63	102	1		7			10	2,235015239
2019	1	63	102	1		8			10	1,828206616
2019	1	63	102	1		9			10	1,769389561
2019	1	63	102	1		10			10	2,1023766
2019	1	63	102	1		11			10	1,631628491
2019	1	63	102	1		12			10	1,61343431
2019	1	63	102	1		13			19	1,378782076
2019	1	63	102	1		14			10	1,424242424
2019	1	63	102	1		15			10	1,387948544
2019	1	63	102	1		16			19	1,492537313
2019	1	63	102	1		17			19	1,633259094
2019	1	63	102	1		18			10	0,835322196
2019	1	63	102	1		19			10	1,269265639
2019	1	63	102	1		20			19	2,27014756
2019	1	63	102	1		21			10	1,208459215
2019	1	63	102	1		22			10	1,326455416
2019	1	63	102	1		23			19	1,203208556
2019	1	63	102	1		24			19	1,679841897
2019	1	63	102	1		25			19	1,803870121
2019	1	63	102	1		26			10	1,887396033
2019	1	63	102	1		27			10	0,932642487
2019	1	63	102	1		28			16	1,356881327
2019	1	63	102	1		29			19	1,94918204
2019	1	63	102	1		30			10	1,298099212
2019	1	63	102	1		31			19	1,527777778
2019	1	63	102	2		2			10	0,583986476
2019	1	63	102	2		3			10	0,78557534

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO	DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	1	63	102	2		4			10	0,707855659
2019	1	63	102	2		5			11	0,50501002
2019	1	63	102	2		6			11	0,616424737
2019	1	63	102	2		7			10	1,286065757
2019	1	63	102	2		8			10	0,584644485
2019	1	63	102	2		9			10	0,620664476
2019	1	63	102	2		10			10	0,658666426
2019	1	63	102	2		11			10	0,574712644
2019	1	63	102	2		12			10	0,537577738
2019	1	63	102	2		13			19	0,660114442
2019	1	63	102	2		14			10	0,588832487
2019	1	63	102	2		15			10	0,431832202
2019	1	63	102	2		16			10	0,561856206
2019	1	63	102	2		17			10	0,487111833
2019	1	63	102	2		18			10	0,548812665
2019	1	63	102	2		19			11	0,424285281
2019	1	63	102	2		20			20	0,505050505
2019	1	63	102	2		21			10	0,627574034
2019	1	63	102	2		22			10	0,488819553
2019	1	63	102	2		23			19	0,557689924
2019	1	63	102	2		24			10	0,545104746
2019	1	63	102	2		25			10	0,507509063
2019	1	63	102	2		26			10	0,382237212
2019	1	63	102	2		27			19	0,477469412
2019	1	63	102	2		28			16	0,388996944
2019	1	63	102	2		29			10	0,435824798
2019	1	63	102	2		30			10	0,638381457
2019	1	63	102	2		31			10	0,703133078
2019	1	66	102	1		2			10	1,685599121
2019	1	66	102	1		3			10	1,395519647
2019	1	66	102	1		4			19	4,605776737
2019	1	66	102	1		5			10	3,342816501
2019	1	66	102	1		6			10	1,749893299
2019	1	66	102	1		7			19	6,237218814
2019	1	66	102	1		8			10	1,635687732
2019	1	66	102	1		9			10	3,1970862
2019	1	66	102	1		10			10	4,612326044
2019	1	66	102	1		11			19	2,988505747
2019	1	66	102	1		12			11	1,212553495
2019	1	66	102	1		13			19	5,434203516
2019	1	66	102	1		14			19	2,04717401
2019	1	66	102	1		15			19	1,76744186
2019	1	66	102	1		16			19	1,296829971
2019	1	66	102	1		17			10	1,245753114
2019	1	66	102	1		18			10	1,107156979
2019	1	66	102	1		19			10	1,354723708
2019	1	66	102	1		20			11	3,365774534
2019	1	66	102	1		21			19	3,906581741
2019	1	66	102	1		22			19	2,224521469
2019	1	66	102	1		23			10	1,224145209
2019	1	66	102	1		24			19	2,084320227
2019	1	66	102	1		25			19	1,055045872
2019	1	66	102	1		26			10	1,251340722
2019	1	66	102	1		27			19	7,210526316
2019	1	66	102	1		28			10	2,574942352
2019	1	66	102	1		29			10	1,568012544
2019	1	66	102	1		30			19	9,74145891
2019	1	66	102	1		31			19	1,97495183
2019	1	66	102	2		2			10	1,973188733
2019	1	66	102	2		3			10	0,469341408
2019	1	66	102	2		4			10	0,396184886
2019	1	66	102	2		5			11	0,481231954
2019	1	66	102	2		6			19	0,827165869
2019	1	66	102	2		7			19	0,514933059
2019	1	66	102	2		8			10	0,498132005
2019	1	66	102	2		9			10	0,407431551
2019	1	66	102	2		10			10	0,35158212
2019	1	66	102	2		11			10	0,477287689
2019	1	66	102	2		12			10	0,36263167
2019	1	66	102	2		13			19	0,67550663
2019	1	66	102	2		14			10	0,624299664
2019	1	66	102	2		15			10	0,572519084
2019	1	66	102	2		16			10	0,458715596
2019	1	66	102	2		17			10	0,424143556

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO	DPTO	PORCENTAJE_LLAMADAS	CAIDAS
2019	1	66	102	2		18			10	0,396825397	
2019	1	66	102	2		19			10	0,326068303	
2019	1	66	102	2		20			20	0,268744961	
2019	1	66	102	2		21			10	0,45280883	
2019	1	66	102	2		22			10	0,430514896	
2019	1	66	102	2		23			10	0,35971223	
2019	1	66	102	2		24			10	0,263019463	
2019	1	66	102	2		25			10	0,439932318	
2019	1	66	102	2		26			10	0,333508864	
2019	1	66	102	2		27			19	0,339311682	
2019	1	66	102	2		28			16	0,340618791	
2019	1	66	102	2		29			10	0,442634561	
2019	1	66	102	2		30			10	0,387140212	
2019	1	66	102	2		31			10	0,543478261	
2019	1	68	102	1		2			10	1,47223198	
2019	1	68	102	1		3			19	2,282165438	
2019	1	68	102	1		4			19	1,888594944	
2019	1	68	102	1		5			10	1,386727531	
2019	1	68	102	1		6			19	1,705370102	
2019	1	68	102	1		7			19	1,780798348	
2019	1	68	102	1		8			10	1,461310673	
2019	1	68	102	1		9			19	1,613947092	
2019	1	68	102	1		10			19	2,282670725	
2019	1	68	102	1		11			19	1,848520801	
2019	1	68	102	1		12			19	1,758002411	
2019	1	68	102	1		13			19	1,686326279	
2019	1	68	102	1		14			19	1,776686937	
2019	1	68	102	1		15			19	1,690364544	
2019	1	68	102	1		16			19	1,704610456	
2019	1	68	102	1		17			19	1,558631327	
2019	1	68	102	1		18			19	1,530071796	
2019	1	68	102	1		19			10	1,384585963	
2019	1	68	102	1		20			19	1,426729002	
2019	1	68	102	1		21			19	1,698830191	
2019	1	68	102	1		22			19	1,873518094	
2019	1	68	102	1		23			19	1,647362655	
2019	1	68	102	1		24			19	1,736868281	
2019	1	68	102	1		25			19	1,721839168	
2019	1	68	102	1		26			19	1,552284305	
2019	1	68	102	1		27			19	1,544715447	
2019	1	68	102	1		28			10	1,282570541	
2019	1	68	102	1		29			19	1,527883881	
2019	1	68	102	1		30			19	1,686719464	
2019	1	68	102	1		31			19	1,925386433	
2019	1	68	102	2		2			10	1,315894251	
2019	1	68	102	2		3			10	1,146263182	
2019	1	68	102	2		4			10	1,202855492	
2019	1	68	102	2		5			10	1,295393668	
2019	1	68	102	2		6			10	1,398417465	
2019	1	68	102	2		7			19	2,259968748	
2019	1	68	102	2		8			10	0,822859024	
2019	1	68	102	2		9			10	0,968807502	
2019	1	68	102	2		10			10	1,080528742	
2019	1	68	102	2		11			10	1,163907936	
2019	1	68	102	2		12			10	1,12298325	
2019	1	68	102	2		13			19	1,497194471	
2019	1	68	102	2		14			10	0,915512495	
2019	1	68	102	2		15			10	0,840002646	
2019	1	68	102	2		16			10	1,079293237	
2019	1	68	102	2		17			10	0,91005291	
2019	1	68	102	2		18			10	0,990573226	
2019	1	68	102	2		19			10	1,053900139	
2019	1	68	102	2		20			20	1,257379927	
2019	1	68	102	2		21			10	1,132127845	
2019	1	68	102	2		22			9	0,859191628	
2019	1	68	102	2		23			10	1,018687175	
2019	1	68	102	2		24			10	0,8002299	
2019	1	68	102	2		25			10	0,888227603	
2019	1	68	102	2		26			10	0,997154462	
2019	1	68	102	2		27			20	1,46868838	
2019	1	68	102	2		28			10	0,883822211	
2019	1	68	102	2		29			10	0,934706042	
2019	1	68	102	2		30			10	1,074349896	
2019	1	68	102	2		31			10	0,920593065	

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO	DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	1	70	102	2		2			10	1,098901099
2019	1	70	102	2		3			10	1,857142857
2019	1	70	102	2		4			10	1,325966851
2019	1	70	102	2		5			11	1,858108108
2019	1	70	102	2		6			20	2,947845805
2019	1	70	102	2		7			10	1,489361702
2019	1	70	102	2		8			10	0,858369099
2019	1	70	102	2		9			11	0,376647834
2019	1	70	102	2		10			10	0,490196078
2019	1	70	102	2		11			10	0,589970501
2019	1	70	102	2		12			10	0,631578947
2019	1	70	102	2		13			20	0,540540541
2019	1	70	102	2		14			10	0,805152979
2019	1	70	102	2		15			10	0,927643785
2019	1	70	102	2		16			10	1,495327103
2019	1	70	102	2		17			10	2,81124498
2019	1	70	102	2		18			10	1,198630137
2019	1	70	102	2		19			11	1,590909091
2019	1	70	102	2		20			20	0,772200772
2019	1	70	102	2		21			20	3,83480826
2019	1	70	102	2		22			10	0,954198473
2019	1	70	102	2		23			19	1,54185022
2019	1	70	102	2		24			10	1,843317972
2019	1	70	102	2		25			10	0,760456274
2019	1	70	102	2		26			10	0,787401575
2019	1	70	102	2		27			20	0,607902736
2019	1	70	102	2		28			10	1,024590164
2019	1	70	102	2		29			10	1,237113402
2019	1	70	102	2		30			10	1,157407407
2019	1	70	102	2		31			10	1,891252955
2019	1	73	102	1		2			19	1,044965168
2019	1	73	102	1		3			19	0,943658063
2019	1	73	102	1		4			19	1,067708333
2019	1	73	102	1		5			10	1,656976744
2019	1	73	102	1		6			19	0,898203593
2019	1	73	102	1		7			19	1,701222754
2019	1	73	102	1		8			19	1,389746757
2019	1	73	102	1		9			19	1,311806256
2019	1	73	102	1		10			19	1,387544369
2019	1	73	102	1		11			19	1,340568146
2019	1	73	102	1		12			10	0,856793146
2019	1	73	102	1		13			19	1,649951472
2019	1	73	102	1		14			19	1,351766513
2019	1	73	102	1		15			19	1,136363636
2019	1	73	102	1		16			19	1,233766234
2019	1	73	102	1		17			19	0,686416185
2019	1	73	102	1		18			19	1,006404392
2019	1	73	102	1		19			19	1,052295918
2019	1	73	102	1		20			19	0,912052117
2019	1	73	102	1		21			19	1,284934147
2019	1	73	102	1		22			19	1,275732096
2019	1	73	102	1		23			19	1,031231585
2019	1	73	102	1		24			19	1,396478446
2019	1	73	102	1		25			19	1,50466446
2019	1	73	102	1		26			8	0,868347339
2019	1	73	102	1		27			19	1,147164864
2019	1	73	102	1		28			16	1,007774259
2019	1	73	102	1		29			19	1,277760876
2019	1	73	102	1		30			19	1,026628168
2019	1	73	102	1		31			19	1,03610675
2019	1	73	102	2		2			10	1,431292203
2019	1	73	102	2		3			10	1,36592801
2019	1	73	102	2		4			10	1,099038341
2019	1	73	102	2		5			10	1,287931143
2019	1	73	102	2		6			10	1,132762457
2019	1	73	102	2		7			11	1,315484021
2019	1	73	102	2		8			10	0,87878178
2019	1	73	102	2		9			10	1,024096386
2019	1	73	102	2		10			10	1,040537611
2019	1	73	102	2		11			10	1,744354372
2019	1	73	102	2		12			10	1,046820105
2019	1	73	102	2		13			19	1,057674923
2019	1	73	102	2		14			10	1,083172147
2019	1	73	102	2		15			10	1,092647394

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO	DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	1	73	102	2		16			10	1,071213036
2019	1	73	102	2		17			10	0,917364923
2019	1	73	102	2		18			10	1,301619276
2019	1	73	102	2		19			10	1,91273162
2019	1	73	102	2		20			20	0,928181924
2019	1	73	102	2		21			10	0,932275214
2019	1	73	102	2		22			10	0,834974399
2019	1	73	102	2		23			10	0,922798056
2019	1	73	102	2		24			10	0,952536025
2019	1	73	102	2		25			10	0,890605296
2019	1	73	102	2		26			10	0,944658742
2019	1	73	102	2		27			10	0,822944675
2019	1	73	102	2		28			16	0,941417492
2019	1	73	102	2		29			10	0,900671255
2019	1	73	102	2		30			10	0,969853714
2019	1	73	102	2		31			10	1,114096081
2019	1	76	102	1		2			10	1,113861386
2019	1	76	102	1		3			10	1,246595433
2019	1	76	102	1		4			10	1,181547313
2019	1	76	102	1		5			10	1,127659574
2019	1	76	102	1		6			11	1,350659982
2019	1	76	102	1		7			19	1,593048516
2019	1	76	102	1		8			10	1,263537906
2019	1	76	102	1		9			10	0,857076674
2019	1	76	102	1		10			10	1,146788991
2019	1	76	102	1		11			10	1,00101226
2019	1	76	102	1		12			10	1,122268163
2019	1	76	102	1		13			19	0,943126608
2019	1	76	102	1		14			10	0,942768412
2019	1	76	102	1		15			10	0,997564088
2019	1	76	102	1		16			10	1,39915823
2019	1	76	102	1		17			10	1,338703945
2019	1	76	102	1		18			10	1,144705736
2019	1	76	102	1		19			10	1,142440447
2019	1	76	102	1		20			19	1,006480077
2019	1	76	102	1		21			10	1,09615802
2019	1	76	102	1		22			10	1,065780426
2019	1	76	102	1		23			10	0,972427376
2019	1	76	102	1		24			10	1,023554076
2019	1	76	102	1		25			10	0,938130863
2019	1	76	102	1		26			10	1,545808722
2019	1	76	102	1		27			19	1,64432776
2019	1	76	102	1		28			16	1,843269433
2019	1	76	102	1		29			10	0,974658869
2019	1	76	102	1		30			10	1,263423879
2019	1	76	102	1		31			10	1,158254084
2019	1	76	102	2		2			10	0,407853894
2019	1	76	102	2		3			10	0,436239726
2019	1	76	102	2		4			10	0,427551655
2019	1	76	102	2		5			10	0,419213974
2019	1	76	102	2		6			11	0,694279611
2019	1	76	102	2		7			19	0,922255481
2019	1	76	102	2		8			10	0,345430081
2019	1	76	102	2		9			10	0,31525023
2019	1	76	102	2		10			10	0,425458019
2019	1	76	102	2		11			10	0,31849803
2019	1	76	102	2		12			10	0,379184975
2019	1	76	102	2		13			19	0,408707746
2019	1	76	102	2		14			10	0,313558787
2019	1	76	102	2		15			10	0,390243902
2019	1	76	102	2		16			10	0,323595904
2019	1	76	102	2		17			10	0,395668914
2019	1	76	102	2		18			10	0,31236657
2019	1	76	102	2		19			11	0,495563227
2019	1	76	102	2		20			20	0,377480239
2019	1	76	102	2		21			10	0,309780504
2019	1	76	102	2		22			10	0,303859009
2019	1	76	102	2		23			10	0,338391241
2019	1	76	102	2		24			10	0,322894551
2019	1	76	102	2		25			10	0,298890736
2019	1	76	102	2		26			10	0,306549804
2019	1	76	102	2		27			20	0,495463413
2019	1	76	102	2		28			16	0,339604243
2019	1	76	102	2		29			10	0,389571471

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO	DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	1	76	102	2		30			10	0,373766787
2019	1	76	102	2		31			10	0,365408039
2019	1	81	102	2		2			10	0,638226402
2019	1	81	102	2		3			10	0,589970501
2019	1	81	102	2		4			19	1,647509579
2019	1	81	102	2		5			19	1,24037639
2019	1	81	102	2		6			19	0,890648194
2019	1	81	102	2		7			19	1,672085462
2019	1	81	102	2		8			10	0,550884314
2019	1	81	102	2		9			10	0,631229236
2019	1	81	102	2		10			10	0,651577503
2019	1	81	102	2		11			18	1,789627465
2019	1	81	102	2		12			19	1,500234412
2019	1	81	102	2		13			19	1,092611863
2019	1	81	102	2		14			10	0,568692008
2019	1	81	102	2		15			19	0,991276764
2019	1	81	102	2		16			18	1,359223301
2019	1	81	102	2		17			10	0,863171355
2019	1	81	102	2		18			18	0,894928737
2019	1	81	102	2		19			19	1,295986622
2019	1	81	102	2		20			20	1,369863014
2019	1	81	102	2		21			10	0,201612903
2019	1	81	102	2		22			19	1,205821206
2019	1	81	102	2		23			9	0,628733103
2019	1	81	102	2		24			9	0,905966885
2019	1	81	102	2		25			9	0,429843414
2019	1	81	102	2		26			18	0,846859562
2019	1	81	102	2		27			20	0,777604977
2019	1	81	102	2		28			10	0,462160601
2019	1	81	102	2		29			9	1,102015113
2019	1	81	102	2		30			10	0,656383328
2019	1	81	102	2		31			19	0,625488663
2019	1	85	102	1		2			19	2,044025157
2019	1	85	102	1		3			19	2,5
2019	1	85	102	1		4			18	2,288188002
2019	1	85	102	1		5			18	2,660891089
2019	1	85	102	1		6			19	1,395730706
2019	1	85	102	1		7			18	1,368925394
2019	1	85	102	1		8			18	2,523474178
2019	1	85	102	1		9			19	2,941176471
2019	1	85	102	1		10			19	2,352102637
2019	1	85	102	1		11			19	1,670951157
2019	1	85	102	1		12			18	1,459854015
2019	1	85	102	1		13			18	2,39268121
2019	1	85	102	1		14			19	3,399048266
2019	1	85	102	1		15			19	3,299492386
2019	1	85	102	1		16			19	9,455587393
2019	1	85	102	1		17			19	1,598173516
2019	1	85	102	1		18			19	2,503793627
2019	1	85	102	1		19			19	1,970865467
2019	1	85	102	1		20			19	2,791625125
2019	1	85	102	1		21			19	2,204081633
2019	1	85	102	1		22			19	1,819685691
2019	1	85	102	1		23			19	2,141802068
2019	1	85	102	1		24			19	1,450443191
2019	1	85	102	1		25			18	2,518223989
2019	1	85	102	1		26			18	1,629327902
2019	1	85	102	1		27			19	0,997506234
2019	1	85	102	1		28			19	2,178988327
2019	1	85	102	1		29			19	1,39002453
2019	1	85	102	1		30			19	2,037845706
2019	1	85	102	1		31			19	1,185770751
2019	1	85	102	2		2			10	0,85755814
2019	1	85	102	2		3			10	0,877559549
2019	1	85	102	2		4			19	1,043264805
2019	1	85	102	2		5			10	1,209170854
2019	1	85	102	2		6			18	1,363236588
2019	1	85	102	2		7			19	0,739219713
2019	1	85	102	2		8			18	0,595029751
2019	1	85	102	2		9			18	0,748796577
2019	1	85	102	2		10			18	0,897182846
2019	1	85	102	2		11			18	0,513573001
2019	1	85	102	2		12			19	0,603663614
2019	1	85	102	2		13			20	0,833066325

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO_RESTO	DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	1	85	102	2		14		19	0,676923077
2019	1	85	102	2		15		19	0,847457627
2019	1	85	102	2		16		18	0,541320823
2019	1	85	102	2		17		18	0,63388398
2019	1	85	102	2		18		9	0,735294118
2019	1	85	102	2		19		18	0,421407501
2019	1	85	102	2		20		19	0,56344929
2019	1	85	102	2		21		19	0,597647966
2019	1	85	102	2		22		18	0,747323773
2019	1	85	102	2		23		19	0,50398992
2019	1	85	102	2		24		19	0,377279396
2019	1	85	102	2		25		10	0,429505135
2019	1	85	102	2		26		19	0,470763132
2019	1	85	102	2		27		19	0,733634312
2019	1	85	102	2		28		18	0,460747829
2019	1	85	102	2		29		19	0,526635609
2019	1	85	102	2		30		18	0,689279884
2019	1	85	102	2		31		10	0,521638331
2019	1	86	102	2		2		10	0,106044539
2019	1	86	102	2		3		19	0,062383032
2019	1	86	102	2		4		10	0,158394931
2019	1	86	102	2		5		10	0,070274069
2019	1	86	102	2		6		19	0,050352467
2019	1	86	102	2		7		19	0
2019	1	86	102	2		8		11	0,057803468
2019	1	86	102	2		9		10	0,054975261
2019	1	86	102	2		10		10	0,058823529
2019	1	86	102	2		11		11	0
2019	1	86	102	2		12		10	0,068493151
2019	1	86	102	2		13		20	0,125
2019	1	86	102	2		14		10	0,064724919
2019	1	86	102	2		15		19	0
2019	1	86	102	2		16		19	0,216606498
2019	1	86	102	2		17		20	0
2019	1	86	102	2		18		10	0,133600534
2019	1	86	102	2		19		10	0,161290323
2019	1	86	102	2		20		20	0,314795383
2019	1	86	102	2		21		20	0,100603622
2019	1	86	102	2		22		19	0,170794193
2019	1	86	102	2		23		20	0
2019	1	86	102	2		24		20	0
2019	1	86	102	2		25		19	0,19379845
2019	1	86	102	2		26		11	0
2019	1	86	102	2		27		20	0,09478673
2019	1	86	102	2		28		19	0
2019	1	86	102	2		29		19	0,176522507
2019	1	86	102	2		30		20	0,107066381
2019	1	86	102	2		31		19	0,182481752
2019	1	88	102	1		2		20	1,429422275
2019	1	88	102	1		3		19	0,922131148
2019	1	88	102	1		4		20	1,282798834
2019	1	88	102	1		5		19	0,897308076
2019	1	88	102	1		6		19	1,148730351
2019	1	88	102	1		7		20	0,708306504
2019	1	88	102	1		8		20	0,830670927
2019	1	88	102	1		9		19	3,951367781
2019	1	88	102	1		10		20	0,845070423
2019	1	88	102	1		11		19	2,083333333
2019	1	88	102	1		12		11	1,001581444
2019	1	88	102	1		13		20	1,809651475
2019	1	88	102	1		14		19	1,796060255
2019	1	88	102	1		15		19	0,828892836
2019	1	88	102	1		16		19	0,816548721
2019	1	88	102	1		17		21	1,920341394
2019	1	88	102	1		18		19	1,166489926
2019	1	88	102	1		19		19	1,016518424
2019	1	88	102	1		20		19	0,903614458
2019	1	88	102	1		21		19	0,753012048
2019	1	88	102	1		22		19	0,937866354
2019	1	88	102	1		23		21	1,162790698
2019	1	88	102	1		24		20	0,625782228
2019	1	88	102	1		25		20	0,731261426
2019	1	88	102	1		26		20	1,205545509
2019	1	88	102	1		27		20	1,452282158

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA	ACCESO	DIA	HORA_PICO	RESTO	DPTO	PORCENTAJE_LLAMADAS	CAIDAS
2019	1	88	102	1		28			19	0,967937084	
2019	1	88	102	1		29			20	1,658925017	
2019	1	88	102	1		30			19	0,72182121	
2019	1	88	102	1		31			21	0,980392157	
2019	1	88	102	2		2			10	0,628930818	
2019	1	88	102	2		3			10	0,638786306	
2019	1	88	102	2		4			20	1,429235417	
2019	1	88	102	2		5			19	1,904666933	
2019	1	88	102	2		6			19	1,87857676	
2019	1	88	102	2		7			12	1,311368809	
2019	1	88	102	2		8			11	0,745156483	
2019	1	88	102	2		9			11	0,825426945	
2019	1	88	102	2		10			11	0,958864704	
2019	1	88	102	2		11			19	0,925348305	
2019	1	88	102	2		12			20	1,058331282	
2019	1	88	102	2		13			20	1,176321781	
2019	1	88	102	2		14			21	2,135286783	
2019	1	88	102	2		15			10	0,373317615	
2019	1	88	102	2		16			11	0,500098058	
2019	1	88	102	2		17			19	1,262878033	
2019	1	88	102	2		18			19	1,073797242	
2019	1	88	102	2		19			11	0,818124607	
2019	1	88	102	2		20			20	1,410934744	
2019	1	88	102	2		21			19	1,852970796	
2019	1	88	102	2		22			10	0,65494012	
2019	1	88	102	2		23			10	0,65	
2019	1	88	102	2		24			11	0,990301174	
2019	1	88	102	2		25			10	0,596562184	
2019	1	88	102	2		26			11	0,85743899	
2019	1	88	102	2		27			20	1,794799322	
2019	1	88	102	2		28			21	2,45417361	
2019	1	88	102	2		29			11	0,862533693	
2019	1	88	102	2		30			10	0,36701209	
2019	1	88	102	2		31			21	1,887099398	
2019	1	94	102	2		2			20	0	
2019	1	94	102	2		3			19	0	
2019	1	94	102	2		4			9	0	
2019	1	94	102	2		5			10	0	
2019	1	94	102	2		6			10	0	
2019	1	94	102	2		7			22	0	
2019	1	94	102	2		8			21	0	
2019	1	94	102	2		9			18	0	
2019	1	94	102	2		10			14	0	
2019	1	94	102	2		11			8	0	
2019	1	94	102	2		12			21	0	
2019	1	94	102	2		13			20	0	
2019	1	94	102	2		14			16	0	
2019	1	94	102	2		15			14	0	
2019	1	94	102	2		16			11	0	
2019	1	94	102	2		17			20	0	
2019	1	94	102	2		18			10	0	
2019	1	94	102	2		19			20	0	
2019	1	94	102	2		20			10	0	
2019	1	94	102	2		21			19	0	
2019	1	94	102	2		22			20	0	
2019	1	94	102	2		23			20	2,010050251	
2019	1	94	102	2		24			10	0	
2019	1	94	102	2		25			20	0	
2019	1	94	102	2		26			21	0	
2019	1	94	102	2		27			10	0	
2019	1	94	102	2		28			21	0	
2019	1	94	102	2		29			11	0	
2019	1	94	102	2		30			11	0	
2019	1	94	102	2		31			10	0	