

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	12	5	102	1	1	18	1,669847328
2019	12	5	102	1	2	19	2,21113882
2019	12	5	102	1	3	19	2,400537183
2019	12	5	102	1	4	19	2,679630069
2019	12	5	102	1	5	19	2,057776019
2019	12	5	102	1	6	19	1,953227643
2019	12	5	102	1	7	18	1,837928154
2019	12	5	102	1	8	19	2,063382367
2019	12	5	102	1	9	19	2,004106776
2019	12	5	102	1	10	19	2,182706894
2019	12	5	102	1	11	19	2,261806131
2019	12	5	102	1	12	19	1,692759295
2019	12	5	102	1	13	19	2,110121991
2019	12	5	102	1	14	18	1,67897396
2019	12	5	102	1	15	19	1,738290681
2019	12	5	102	1	16	19	1,701622477
2019	12	5	102	1	17	19	2,203418231
2019	12	5	102	1	18	19	1,642761841
2019	12	5	102	1	19	19	1,907090465
2019	12	5	102	1	20	19	2,040312629
2019	12	5	102	1	21	10	1,348178444
2019	12	5	102	1	22	18	1,629561625
2019	12	5	102	1	23	19	1,630348338
2019	12	5	102	1	24	18	1,548215866
2019	12	5	102	1	25	19	2,127890566
2019	12	5	102	1	26	19	2,067029602
2019	12	5	102	1	27	19	1,724552819
2019	12	5	102	1	28	18	1,618269812
2019	12	5	102	1	29	19	1,934270619
2019	12	5	102	1	30	19	1,704545455
2019	12	5	102	1	31	18	1,647074021
2019	12	5	102	2	1	19	0,572993256
2019	12	5	102	2	2	10	0,430740515
2019	12	5	102	2	3	10	0,544275457
2019	12	5	102	2	4	10	0,370480142
2019	12	5	102	2	5	10	0,431782116
2019	12	5	102	2	6	10	0,462365591
2019	12	5	102	2	7	10	0,304822731
2019	12	5	102	2	8	19	0,499922692
2019	12	5	102	2	9	10	0,52490507
2019	12	5	102	2	10	10	0,399743561
2019	12	5	102	2	11	10	0,424011621
2019	12	5	102	2	12	10	0,484696869
2019	12	5	102	2	13	10	0,409836066
2019	12	5	102	2	14	10	0,414773137
2019	12	5	102	2	15	19	0,515949794
2019	12	5	102	2	16	10	0,458995231
2019	12	5	102	2	17	10	0,494141429
2019	12	5	102	2	18	10	0,420617926
2019	12	5	102	2	19	10	0,360437175
2019	12	5	102	2	20	10	0,368115045
2019	12	5	102	2	21	10	0,375405844
2019	12	5	102	2	22	19	0,429564678
2019	12	5	102	2	23	10	0,358790364
2019	12	5	102	2	24	10	0,45958279
2019	12	5	102	2	25	19	0,585403217
2019	12	5	102	2	26	10	0,598230998
2019	12	5	102	2	27	10	0,532898314
2019	12	5	102	2	28	10	0,544194107
2019	12	5	102	2	29	19	0,628059481
2019	12	5	102	2	30	10	0,568793753
2019	12	5	102	2	31	11	0,631815266
2019	12	8	102	1	1	10	2,028081123
2019	12	8	102	1	2	19	0,391389432
2019	12	8	102	1	3	19	0,219298246
2019	12	8	102	1	4	19	0
2019	12	8	102	1	5	19	0
2019	12	8	102	1	6	19	0,788954635
2019	12	8	102	1	7	10	0,686106346
2019	12	8	102	1	8	18	0,230946882
2019	12	8	102	1	9	19	0
2019	12	8	102	1	10	19	0,801603206
2019	12	8	102	1	11	10	0,309119011
2019	12	8	102	1	12	19	0,462962963
2019	12	8	102	1	13	19	0,204918033
2019	12	8	102	1	14	19	0,364963504

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	12	8	102	1	15	19	0,224719101
2019	12	8	102	1	16	19	0
2019	12	8	102	1	17	19	0,394477318
2019	12	8	102	1	18	19	0
2019	12	8	102	1	19	19	0,201207243
2019	12	8	102	1	20	19	0,37593985
2019	12	8	102	1	21	10	0,37037037
2019	12	8	102	1	22	19	0,495049505
2019	12	8	102	1	23	19	0,350877193
2019	12	8	102	1	24	9	1,056338028
2019	12	8	102	1	25	11	0,604229607
2019	12	8	102	1	26	19	0
2019	12	8	102	1	27	19	0,431965443
2019	12	8	102	1	28	10	0,168918919
2019	12	8	102	1	29	19	1,186131387
2019	12	8	102	1	30	19	1,408450704
2019	12	8	102	1	31	10	0,137174211
2019	12	8	102	2	1	11	0,589738549
2019	12	8	102	2	2	10	0,271329515
2019	12	8	102	2	3	10	0,248524386
2019	12	8	102	2	4	10	1,667735728
2019	12	8	102	2	5	10	0,88367899
2019	12	8	102	2	6	10	0,454260652
2019	12	8	102	2	7	10	0,399564112
2019	12	8	102	2	8	11	0,247580464
2019	12	8	102	2	9	10	0,424028269
2019	12	8	102	2	10	10	0,185779429
2019	12	8	102	2	11	10	0,494205862
2019	12	8	102	2	12	10	0,285306705
2019	12	8	102	2	13	10	0,20991442
2019	12	8	102	2	14	10	0,556023589
2019	12	8	102	2	15	11	0,62671367
2019	12	8	102	2	16	10	0,40417649
2019	12	8	102	2	17	10	0,439337614
2019	12	8	102	2	18	10	0,604710376
2019	12	8	102	2	19	10	0,377617576
2019	12	8	102	2	20	10	0,295809367
2019	12	8	102	2	21	10	0,30163518
2019	12	8	102	2	22	11	0,633025864
2019	12	8	102	2	23	10	0,280024891
2019	12	8	102	2	24	10	0,347912525
2019	12	8	102	2	25	11	0,366552119
2019	12	8	102	2	26	10	0,242522231
2019	12	8	102	2	27	10	0,343361674
2019	12	8	102	2	28	10	0,399876961
2019	12	8	102	2	29	11	0,510976533
2019	12	8	102	2	30	10	0,434196736
2019	12	8	102	2	31	10	0,338983051
2019	12	13	102	1	1	18	2,222393703
2019	12	13	102	1	2	19	2,847558703
2019	12	13	102	1	3	19	3,697749196
2019	12	13	102	1	4	19	4,579392733
2019	12	13	102	1	5	19	2,428618313
2019	12	13	102	1	6	19	2,693217365
2019	12	13	102	1	7	18	1,948420009
2019	12	13	102	1	8	18	2,309623431
2019	12	13	102	1	9	19	2,798962183
2019	12	13	102	1	10	19	3,189684425
2019	12	13	102	1	11	19	2,870331515
2019	12	13	102	1	12	19	2,667841692
2019	12	13	102	1	13	19	2,84499673
2019	12	13	102	1	14	19	2,154002714
2019	12	13	102	1	15	19	2,793349169
2019	12	13	102	1	16	19	3,413976229
2019	12	13	102	1	17	19	3,612739661
2019	12	13	102	1	18	19	2,221685583
2019	12	13	102	1	19	19	2,69170059
2019	12	13	102	1	20	19	2,499041778
2019	12	13	102	1	21	18	2,359533992
2019	12	13	102	1	22	19	2,868318123
2019	12	13	102	1	23	19	2,208129584
2019	12	13	102	1	24	9	1,917582069
2019	12	13	102	1	25	18	2,915210594
2019	12	13	102	1	26	19	2,238417491
2019	12	13	102	1	27	19	3,014992131
2019	12	13	102	1	28	19	2,204644901

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	12	13	102	1	29	19	2,926870893
2019	12	13	102	1	30	10	2,218334062
2019	12	13	102	1	31	10	2,275932812
2019	12	13	102	2	1	11	0,378245758
2019	12	13	102	2	2	19	0,567951318
2019	12	13	102	2	3	10	0,329394326
2019	12	13	102	2	4	10	0,291143723
2019	12	13	102	2	5	10	0,275097516
2019	12	13	102	2	6	10	0,303069663
2019	12	13	102	2	7	10	0,36312727
2019	12	13	102	2	8	19	0,430107527
2019	12	13	102	2	9	10	0,421473881
2019	12	13	102	2	10	10	0,23908903
2019	12	13	102	2	11	10	0,286494472
2019	12	13	102	2	12	10	0,273358727
2019	12	13	102	2	13	10	0,365919769
2019	12	13	102	2	14	10	0,460661345
2019	12	13	102	2	15	18	0,292672729
2019	12	13	102	2	16	10	0,300996543
2019	12	13	102	2	17	9	0,285252044
2019	12	13	102	2	18	10	0,416138954
2019	12	13	102	2	19	10	0,295401437
2019	12	13	102	2	20	10	0,331071015
2019	12	13	102	2	21	10	0,327548069
2019	12	13	102	2	22	19	0,45246372
2019	12	13	102	2	23	10	0,336493234
2019	12	13	102	2	24	10	0,280342392
2019	12	13	102	2	25	11	0,307692308
2019	12	13	102	2	26	10	0,342823697
2019	12	13	102	2	27	10	0,418848168
2019	12	13	102	2	28	10	0,433470741
2019	12	13	102	2	29	19	0,616708126
2019	12	13	102	2	30	10	0,507781106
2019	12	13	102	2	31	10	0,399075041
2019	12	15	102	1	1	9	1,688374337
2019	12	15	102	1	2	18	2
2019	12	15	102	1	3	19	1,943198804
2019	12	15	102	1	4	19	2,799097065
2019	12	15	102	1	5	19	2,19316744
2019	12	15	102	1	6	18	1,168883515
2019	12	15	102	1	7	18	1,206529454
2019	12	15	102	1	8	18	1,116358952
2019	12	15	102	1	9	18	2,000784621
2019	12	15	102	1	10	18	1,72275641
2019	12	15	102	1	11	18	2,293379489
2019	12	15	102	1	12	18	1,599326599
2019	12	15	102	1	13	19	1,91680261
2019	12	15	102	1	14	18	1,510248112
2019	12	15	102	1	15	10	1,668211307
2019	12	15	102	1	16	9	1,427297056
2019	12	15	102	1	17	9	1,43985137
2019	12	15	102	1	18	10	0,974658869
2019	12	15	102	1	19	18	1,392024078
2019	12	15	102	1	20	9	1,978831109
2019	12	15	102	1	21	10	1,497646555
2019	12	15	102	1	22	10	1,602136182
2019	12	15	102	1	23	10	1,945525292
2019	12	15	102	1	24	18	1,244343891
2019	12	15	102	1	25	10	2,313354364
2019	12	15	102	1	26	10	1,212121212
2019	12	15	102	1	27	19	1,459510358
2019	12	15	102	1	28	10	1,582733813
2019	12	15	102	1	29	10	2,680965147
2019	12	15	102	1	30	10	1,726167124
2019	12	15	102	1	31	18	2,096627165
2019	12	15	102	2	1	10	0,279667423
2019	12	15	102	2	2	10	0,274288222
2019	12	15	102	2	3	9	0,763955727
2019	12	15	102	2	4	10	0,261082972
2019	12	15	102	2	5	10	0,286834865
2019	12	15	102	2	6	10	0,277623542
2019	12	15	102	2	7	10	0,303313112
2019	12	15	102	2	8	10	0,462227358
2019	12	15	102	2	9	10	1,054147465
2019	12	15	102	2	10	10	0,268378063
2019	12	15	102	2	11	9	0,329719738

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	12	15	102	2	12	10	0,26202821
2019	12	15	102	2	13	10	0,298036466
2019	12	15	102	2	14	10	0,419613955
2019	12	15	102	2	15	10	0,328381548
2019	12	15	102	2	16	9	0,244916557
2019	12	15	102	2	17	10	0,270519167
2019	12	15	102	2	18	10	0,322032906
2019	12	15	102	2	19	10	0,310104733
2019	12	15	102	2	20	10	0,281625381
2019	12	15	102	2	21	10	0,339354132
2019	12	15	102	2	22	10	0,294385645
2019	12	15	102	2	23	10	0,27594665
2019	12	15	102	2	24	10	0,318360444
2019	12	15	102	2	25	11	0,302724521
2019	12	15	102	2	26	10	0,330051158
2019	12	15	102	2	27	10	0,317676424
2019	12	15	102	2	28	10	0,328947368
2019	12	15	102	2	29	10	0,480869747
2019	12	15	102	2	30	10	0,325586055
2019	12	15	102	2	31	18	0,509150956
2019	12	17	102	1	1	19	1,886792453
2019	12	17	102	1	2	19	1,960784314
2019	12	17	102	1	3	19	0
2019	12	17	102	1	4	19	1,438848921
2019	12	17	102	1	5	19	3,846153846
2019	12	17	102	1	6	19	2,941176471
2019	12	17	102	1	7	10	1,709401709
2019	12	17	102	1	8	10	3,759398496
2019	12	17	102	1	9	19	1,307189542
2019	12	17	102	1	10	19	1,851851852
2019	12	17	102	1	11	19	3,225806452
2019	12	17	102	1	12	19	4,672897196
2019	12	17	102	1	13	19	1,754385965
2019	12	17	102	1	14	19	3,246753247
2019	12	17	102	1	15	19	1,851851852
2019	12	17	102	1	16	9	2,727272727
2019	12	17	102	1	17	10	3,305785124
2019	12	17	102	1	18	19	4,04040404
2019	12	17	102	1	19	19	7,207207207
2019	12	17	102	1	20	19	3,25203252
2019	12	17	102	1	21	10	3,2
2019	12	17	102	1	22	10	3,144654088
2019	12	17	102	1	23	9	5,194805195
2019	12	17	102	1	24	10	7,878787879
2019	12	17	102	1	25	10	4,195804196
2019	12	17	102	1	26	19	3,448275862
2019	12	17	102	1	27	19	9,022556391
2019	12	17	102	1	28	10	2,797202797
2019	12	17	102	1	29	19	4,166666667
2019	12	17	102	1	30	19	1,324503311
2019	12	17	102	1	31	19	2,392344498
2019	12	17	102	2	1	19	1,376344086
2019	12	17	102	2	2	19	1,289343951
2019	12	17	102	2	3	19	1,146025878
2019	12	17	102	2	4	19	1,353065539
2019	12	17	102	2	5	10	0,969932105
2019	12	17	102	2	6	10	1,254855094
2019	12	17	102	2	7	10	0,838574423
2019	12	17	102	2	8	19	1,385165326
2019	12	17	102	2	9	10	1,32001427
2019	12	17	102	2	10	10	1,092318534
2019	12	17	102	2	11	19	1,291793313
2019	12	17	102	2	12	19	1,563160118
2019	12	17	102	2	13	10	0,880121396
2019	12	17	102	2	14	10	0,967458223
2019	12	17	102	2	15	19	1,666020922
2019	12	17	102	2	16	10	1,474442988
2019	12	17	102	2	17	10	1,175702155
2019	12	17	102	2	18	10	0,973828363
2019	12	17	102	2	19	10	1,569365976
2019	12	17	102	2	20	10	1,101518309
2019	12	17	102	2	21	10	0,829015544
2019	12	17	102	2	22	11	1,322580645
2019	12	17	102	2	23	10	1,017524025
2019	12	17	102	2	24	10	1,281002998
2019	12	17	102	2	25	11	1,572551823

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	12	17	102	2	26	10	1,304347826
2019	12	17	102	2	27	10	1,165919283
2019	12	17	102	2	28	10	1,052091352
2019	12	17	102	2	29	19	1,306148455
2019	12	17	102	2	30	10	1,157139551
2019	12	17	102	2	31	19	1,874876653
2019	12	18	102	2	1	19	0,581248421
2019	12	18	102	2	2	19	0,453367876
2019	12	18	102	2	3	20	0,640847033
2019	12	18	102	2	4	19	0,399159664
2019	12	18	102	2	5	19	0,401691332
2019	12	18	102	2	6	20	0,943920044
2019	12	18	102	2	7	9	0,755082285
2019	12	18	102	2	8	19	0,269723533
2019	12	18	102	2	9	19	0,31853474
2019	12	18	102	2	10	19	0,468050468
2019	12	18	102	2	11	19	0,364415863
2019	12	18	102	2	12	20	0,372393247
2019	12	18	102	2	13	19	0,38071066
2019	12	18	102	2	14	19	0,434484336
2019	12	18	102	2	15	20	0,268977884
2019	12	18	102	2	16	10	0,207667732
2019	12	18	102	2	17	20	1,122365179
2019	12	18	102	2	18	20	1,172947342
2019	12	18	102	2	19	20	0,705144946
2019	12	18	102	2	20	10	0,442722745
2019	12	18	102	2	21	10	0,478556967
2019	12	18	102	2	22	20	0,581241744
2019	12	18	102	2	23	10	2,22258808
2019	12	18	102	2	24	14	0,22809746
2019	12	18	102	2	25	19	0,521512386
2019	12	18	102	2	26	19	0,669493417
2019	12	18	102	2	27	10	0,428066257
2019	12	18	102	2	28	10	0,398255263
2019	12	18	102	2	29	19	0,472001716
2019	12	18	102	2	30	10	0,422006877
2019	12	18	102	2	31	19	0,398142004
2019	12	19	102	1	1	18	1,437879128
2019	12	19	102	1	2	19	1,502195517
2019	12	19	102	1	3	19	1,417053506
2019	12	19	102	1	4	19	1,510496672
2019	12	19	102	1	5	19	1,251676352
2019	12	19	102	1	6	19	1,758530184
2019	12	19	102	1	7	19	1,010338346
2019	12	19	102	1	8	19	1,520405441
2019	12	19	102	1	9	19	1,565133638
2019	12	19	102	1	10	19	1,320528211
2019	12	19	102	1	11	19	1,640585563
2019	12	19	102	1	12	19	1,290322581
2019	12	19	102	1	13	19	2,035502959
2019	12	19	102	1	14	19	1,531213192
2019	12	19	102	1	15	19	1,173402868
2019	12	19	102	1	16	19	1,404235727
2019	12	19	102	1	17	19	1,608718215
2019	12	19	102	1	18	19	1,442542787
2019	12	19	102	1	19	19	1,153749686
2019	12	19	102	1	20	19	1,278994147
2019	12	19	102	1	21	19	1,220890798
2019	12	19	102	1	22	19	1,671309192
2019	12	19	102	1	23	19	1,400688863
2019	12	19	102	1	24	14	0,859813084
2019	12	19	102	1	25	19	1,087275933
2019	12	19	102	1	26	19	1,439790576
2019	12	19	102	1	27	19	1,768766178
2019	12	19	102	1	28	19	1,116348301
2019	12	19	102	1	29	19	2,19876869
2019	12	19	102	1	30	19	1,877934272
2019	12	19	102	1	31	19	1,520994002
2019	12	19	102	2	1	18	0,444931207
2019	12	19	102	2	2	19	0,409615177
2019	12	19	102	2	3	19	0,675212132
2019	12	19	102	2	4	19	0,461177894
2019	12	19	102	2	5	19	0,431706875
2019	12	19	102	2	6	19	0,51266277
2019	12	19	102	2	7	10	0,277293388
2019	12	19	102	2	8	19	0,3527401

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	12	19	102	2	9	19	0,473830795
2019	12	19	102	2	10	19	0,553714174
2019	12	19	102	2	11	19	0,797378482
2019	12	19	102	2	12	19	0,567121857
2019	12	19	102	2	13	19	0,540504911
2019	12	19	102	2	14	19	0,391502471
2019	12	19	102	2	15	19	0,494976901
2019	12	19	102	2	16	19	0,453571429
2019	12	19	102	2	17	19	0,491747036
2019	12	19	102	2	18	19	0,510771369
2019	12	19	102	2	19	19	0,429109071
2019	12	19	102	2	20	19	0,384172109
2019	12	19	102	2	21	19	0,377926718
2019	12	19	102	2	22	19	0,37564513
2019	12	19	102	2	23	19	0,523040851
2019	12	19	102	2	24	14	0,230754839
2019	12	19	102	2	25	19	0,456522521
2019	12	19	102	2	26	19	0,591150442
2019	12	19	102	2	27	19	0,442321869
2019	12	19	102	2	28	19	0,340957094
2019	12	19	102	2	29	19	0,56120322
2019	12	19	102	2	30	19	0,504068791
2019	12	19	102	2	31	19	0,510654545
2019	12	20	102	1	1	18	1,137254902
2019	12	20	102	1	2	19	1,578947368
2019	12	20	102	1	3	19	1,784413693
2019	12	20	102	1	4	19	2,043743277
2019	12	20	102	1	5	19	2,581120944
2019	12	20	102	1	6	19	2,474690664
2019	12	20	102	1	7	18	1,256848211
2019	12	20	102	1	8	18	1,185302252
2019	12	20	102	1	9	19	1,731927711
2019	12	20	102	1	10	19	2,187615869
2019	12	20	102	1	11	19	1,657235247
2019	12	20	102	1	12	19	3,981348637
2019	12	20	102	1	13	19	1,81947913
2019	12	20	102	1	14	18	1,164021164
2019	12	20	102	1	15	18	1,68792198
2019	12	20	102	1	16	19	2,086280057
2019	12	20	102	1	17	19	1,769604441
2019	12	20	102	1	18	19	1,811965812
2019	12	20	102	1	19	19	1,682516459
2019	12	20	102	1	20	19	2,18794835
2019	12	20	102	1	21	18	1,409395973
2019	12	20	102	1	22	19	2,398989899
2019	12	20	102	1	23	19	1,619572708
2019	12	20	102	1	24	9	3,183023873
2019	12	20	102	1	25	18	2,953410982
2019	12	20	102	1	26	19	4,407294833
2019	12	20	102	1	27	19	1,800450113
2019	12	20	102	1	28	18	1,996985682
2019	12	20	102	1	29	19	1,811215604
2019	12	20	102	1	30	19	1,33045667
2019	12	20	102	1	31	18	1,530091806
2019	12	20	102	2	1	18	0,498099841
2019	12	20	102	2	2	19	0,528151132
2019	12	20	102	2	3	19	0,51398636
2019	12	20	102	2	4	19	0,558285695
2019	12	20	102	2	5	19	0,541790552
2019	12	20	102	2	6	19	0,561018862
2019	12	20	102	2	7	10	0,29474977
2019	12	20	102	2	8	19	0,400231061
2019	12	20	102	2	9	19	0,534379545
2019	12	20	102	2	10	19	0,728163599
2019	12	20	102	2	11	19	0,566413762
2019	12	20	102	2	12	19	0,638177844
2019	12	20	102	2	13	19	0,457824182
2019	12	20	102	2	14	10	0,419933729
2019	12	20	102	2	15	20	0,622446995
2019	12	20	102	2	16	19	0,530320498
2019	12	20	102	2	17	9	0,384709331
2019	12	20	102	2	18	19	0,634439004
2019	12	20	102	2	19	10	0,422820026
2019	12	20	102	2	20	10	0,419985518
2019	12	20	102	2	21	10	0,465532677
2019	12	20	102	2	22	19	0,458394569

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	12	20	102	2	23	10	0,623572583
2019	12	20	102	2	24	10	0,681962226
2019	12	20	102	2	25	19	0,517611966
2019	12	20	102	2	26	10	0,487656202
2019	12	20	102	2	27	19	0,509129765
2019	12	20	102	2	28	10	0,523745072
2019	12	20	102	2	29	19	0,59650187
2019	12	20	102	2	30	10	0,399674151
2019	12	20	102	2	31	10	0,370163785
2019	12	23	102	1	1	19	1,690140845
2019	12	23	102	1	2	19	1,359223301
2019	12	23	102	1	3	19	3,149606299
2019	12	23	102	1	4	19	3,004291845
2019	12	23	102	1	5	19	1,758241758
2019	12	23	102	1	6	19	2,798982188
2019	12	23	102	1	7	19	1,3671875
2019	12	23	102	1	8	19	2,642276423
2019	12	23	102	1	9	19	3,731343284
2019	12	23	102	1	10	19	4,791666667
2019	12	23	102	1	11	19	2,75862069
2019	12	23	102	1	12	19	2,610441767
2019	12	23	102	1	13	19	1,136363636
2019	12	23	102	1	14	19	2,050113895
2019	12	23	102	1	15	19	6,887755102
2019	12	23	102	1	16	19	2,420856611
2019	12	23	102	1	17	19	3,456221198
2019	12	23	102	1	18	19	1,972386588
2019	12	23	102	1	19	19	2,054794521
2019	12	23	102	1	20	19	2,823920266
2019	12	23	102	1	21	19	2,094240838
2019	12	23	102	1	22	19	2,449888641
2019	12	23	102	1	23	19	2,713178295
2019	12	23	102	1	24	9	0,761035008
2019	12	23	102	1	25	10	1,842105263
2019	12	23	102	1	26	19	0,627615063
2019	12	23	102	1	27	19	2,745995423
2019	12	23	102	1	28	19	2,75862069
2019	12	23	102	1	29	19	2,290076336
2019	12	23	102	1	30	19	3,804347826
2019	12	23	102	1	31	10	2,215657312
2019	12	23	102	2	1	19	0,581125058
2019	12	23	102	2	2	19	0,551209104
2019	12	23	102	2	3	9	0,246495147
2019	12	23	102	2	4	9	0,461515558
2019	12	23	102	2	5	9	0,320268415
2019	12	23	102	2	6	10	0,248465361
2019	12	23	102	2	7	10	0,305966344
2019	12	23	102	2	8	19	0,692041522
2019	12	23	102	2	9	10	0,256952842
2019	12	23	102	2	10	10	0,377522869
2019	12	23	102	2	11	10	0,206978119
2019	12	23	102	2	12	10	0,195283161
2019	12	23	102	2	13	10	0,312944523
2019	12	23	102	2	14	10	0,426929392
2019	12	23	102	2	15	19	0,516907172
2019	12	23	102	2	16	10	0,351751429
2019	12	23	102	2	17	10	0,43421624
2019	12	23	102	2	18	10	0,384889522
2019	12	23	102	2	19	9	0,244428469
2019	12	23	102	2	20	10	0,211625282
2019	12	23	102	2	21	10	0,286317058
2019	12	23	102	2	22	19	0,451722191
2019	12	23	102	2	23	10	0,352556031
2019	12	23	102	2	24	10	0,285998508
2019	12	23	102	2	25	10	0,499782703
2019	12	23	102	2	26	10	0,413829929
2019	12	23	102	2	27	10	0,56569085
2019	12	23	102	2	28	10	0,377687391
2019	12	23	102	2	29	19	0,443081118
2019	12	23	102	2	30	10	0,373314066
2019	12	23	102	2	31	10	0,366863905
2019	12	25	102	1	1	18	3,822249845
2019	12	25	102	1	2	19	3,659370725
2019	12	25	102	1	3	19	3,547115729
2019	12	25	102	1	4	19	2,850956333
2019	12	25	102	1	5	19	3,676975945

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	12	25	102	1	6	19	3,447132913
2019	12	25	102	1	7	10	3,58868185
2019	12	25	102	1	8	10	2,344497608
2019	12	25	102	1	9	18	3,55104629
2019	12	25	102	1	10	19	4,642593957
2019	12	25	102	1	11	19	4,371989626
2019	12	25	102	1	12	19	3,415559772
2019	12	25	102	1	13	19	3,939617084
2019	12	25	102	1	14	10	3,257474342
2019	12	25	102	1	15	18	2,997275204
2019	12	25	102	1	16	9	2,461899179
2019	12	25	102	1	17	9	2,420159681
2019	12	25	102	1	18	9	3,254593176
2019	12	25	102	1	19	9	3,968253968
2019	12	25	102	1	20	9	3,143133462
2019	12	25	102	1	21	10	3,11440678
2019	12	25	102	1	22	10	2,463661
2019	12	25	102	1	23	10	2,668475803
2019	12	25	102	1	24	14	2,607944732
2019	12	25	102	1	25	10	3,164179104
2019	12	25	102	1	26	10	2,762307864
2019	12	25	102	1	27	19	4,064
2019	12	25	102	1	28	10	3,356408643
2019	12	25	102	1	29	19	4,083405734
2019	12	25	102	1	30	19	4,06218656
2019	12	25	102	1	31	19	5,191409897
2019	12	25	102	2	1	19	1,191246925
2019	12	25	102	2	2	10	0,670107761
2019	12	25	102	2	3	10	0,797035888
2019	12	25	102	2	4	10	0,99422842
2019	12	25	102	2	5	10	0,691829407
2019	12	25	102	2	6	10	0,882966112
2019	12	25	102	2	7	10	1,019867009
2019	12	25	102	2	8	19	1,124301676
2019	12	25	102	2	9	10	1,48295898
2019	12	25	102	2	10	10	0,865044344
2019	12	25	102	2	11	10	0,889813626
2019	12	25	102	2	12	10	0,927798786
2019	12	25	102	2	13	10	0,952691149
2019	12	25	102	2	14	10	1,121227449
2019	12	25	102	2	15	19	1,220828275
2019	12	25	102	2	16	10	0,764151335
2019	12	25	102	2	17	10	0,929207365
2019	12	25	102	2	18	10	0,898240945
2019	12	25	102	2	19	10	0,87788972
2019	12	25	102	2	20	10	0,77459648
2019	12	25	102	2	21	10	1,0743703
2019	12	25	102	2	22	11	1,205840791
2019	12	25	102	2	23	10	0,897893404
2019	12	25	102	2	24	14	0,84159826
2019	12	25	102	2	25	0	1,396755304
2019	12	25	102	2	26	10	1,353518758
2019	12	25	102	2	27	10	1,174483463
2019	12	25	102	2	28	10	1,716110662
2019	12	25	102	2	29	19	2,149286942
2019	12	25	102	2	30	10	1,542090624
2019	12	25	102	2	31	19	3,568775443
2019	12	27	102	2	1	19	1,192605844
2019	12	27	102	2	2	19	0,783289817
2019	12	27	102	2	3	19	0,153256705
2019	12	27	102	2	4	19	0,821508588
2019	12	27	102	2	5	19	0,617707618
2019	12	27	102	2	6	20	0,853970965
2019	12	27	102	2	7	10	0,68119891
2019	12	27	102	2	8	19	0,347222222
2019	12	27	102	2	9	19	0,574712644
2019	12	27	102	2	10	19	1,565217391
2019	12	27	102	2	11	19	0,936329588
2019	12	27	102	2	12	19	0,879765396
2019	12	27	102	2	13	19	0,641482537
2019	12	27	102	2	14	20	0,786782061
2019	12	27	102	2	15	19	0,916138125
2019	12	27	102	2	16	20	1,080108011
2019	12	27	102	2	17	20	0,769230769
2019	12	27	102	2	18	20	0,976971389
2019	12	27	102	2	19	19	0,197498354

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	12	27	102	2	20	19	0,613120785
2019	12	27	102	2	21	20	0,936599424
2019	12	27	102	2	22	19	0,71942446
2019	12	27	102	2	23	19	0,549148819
2019	12	27	102	2	24	9	0,314183124
2019	12	27	102	2	25	19	0,73284477
2019	12	27	102	2	26	19	0,514138817
2019	12	27	102	2	27	19	1,116217991
2019	12	27	102	2	28	20	0,982318271
2019	12	27	102	2	29	19	0,783289817
2019	12	27	102	2	30	19	0,811594203
2019	12	27	102	2	31	10	0,372362433
2019	12	41	102	1	1	19	0,247524752
2019	12	41	102	1	2	19	0,570342205
2019	12	41	102	1	3	19	1,724137931
2019	12	41	102	1	4	19	0,821355236
2019	12	41	102	1	5	19	0,683760684
2019	12	41	102	1	6	19	1,098901099
2019	12	41	102	1	7	10	0,196850394
2019	12	41	102	1	8	19	1,405152225
2019	12	41	102	1	9	19	1,308411215
2019	12	41	102	1	10	19	0,888099467
2019	12	41	102	1	11	19	0,975609756
2019	12	41	102	1	12	19	2,032520325
2019	12	41	102	1	13	19	0,941619586
2019	12	41	102	1	14	19	0,925925926
2019	12	41	102	1	15	19	0,263157895
2019	12	41	102	1	16	19	0,420168067
2019	12	41	102	1	17	19	1,081081081
2019	12	41	102	1	18	19	1,923076923
2019	12	41	102	1	19	19	1,149425287
2019	12	41	102	1	20	19	2,210884354
2019	12	41	102	1	21	9	0,214592275
2019	12	41	102	1	22	19	0,228832952
2019	12	41	102	1	23	19	0,410677618
2019	12	41	102	1	24	14	0,848896435
2019	12	41	102	1	25	19	1,089324619
2019	12	41	102	1	26	19	0,426439232
2019	12	41	102	1	27	19	1,361867704
2019	12	41	102	1	28	9	0,434782609
2019	12	41	102	1	29	19	0,407331976
2019	12	41	102	1	30	19	0,655021834
2019	12	41	102	1	31	19	0,527240773
2019	12	41	102	2	1	19	1,01379893
2019	12	41	102	2	2	19	0,863074411
2019	12	41	102	2	3	19	0,879976055
2019	12	41	102	2	4	19	0,758909599
2019	12	41	102	2	5	19	1,670486069
2019	12	41	102	2	6	10	0,470553992
2019	12	41	102	2	7	10	0,355196575
2019	12	41	102	2	8	20	0,603606357
2019	12	41	102	2	9	19	0,835738336
2019	12	41	102	2	10	19	1,001513916
2019	12	41	102	2	11	19	1,087413638
2019	12	41	102	2	12	19	0,822996183
2019	12	41	102	2	13	19	0,729012416
2019	12	41	102	2	14	10	0,44130184
2019	12	41	102	2	15	20	1,006949369
2019	12	41	102	2	16	10	0,373289092
2019	12	41	102	2	17	10	0,405720661
2019	12	41	102	2	18	10	0,452815646
2019	12	41	102	2	19	10	0,533963136
2019	12	41	102	2	20	10	0,475959203
2019	12	41	102	2	21	10	0,542344597
2019	12	41	102	2	22	20	0,7090301
2019	12	41	102	2	23	9	0,574002119
2019	12	41	102	2	24	14	0,481845312
2019	12	41	102	2	25	10	0,486555698
2019	12	41	102	2	26	10	0,674168443
2019	12	41	102	2	27	10	0,516105249
2019	12	41	102	2	28	10	0,440053884
2019	12	41	102	2	29	20	1,095235098
2019	12	41	102	2	30	10	0,561844515
2019	12	41	102	2	31	19	1,204055767
2019	12	44	102	1	1	18	3,389423077
2019	12	44	102	1	2	19	2,194431336

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	12	44	102	1	3	19	1,829871414
2019	12	44	102	1	4	19	1,92
2019	12	44	102	1	5	19	2,244788883
2019	12	44	102	1	6	19	2,065491184
2019	12	44	102	1	7	18	2,270742358
2019	12	44	102	1	8	18	2,293780326
2019	12	44	102	1	9	19	1,881467545
2019	12	44	102	1	10	19	0,873786408
2019	12	44	102	1	11	10	2,784156142
2019	12	44	102	1	12	19	2,062868369
2019	12	44	102	1	13	19	2,217529039
2019	12	44	102	1	14	19	2,152742183
2019	12	44	102	1	15	19	2,81054823
2019	12	44	102	1	16	19	1,132852729
2019	12	44	102	1	17	19	2,014846235
2019	12	44	102	1	18	19	4,135338346
2019	12	44	102	1	19	19	2,349869452
2019	12	44	102	1	20	19	2,481825019
2019	12	44	102	1	21	18	1,755986317
2019	12	44	102	1	22	19	3,142857143
2019	12	44	102	1	23	19	3,217651115
2019	12	44	102	1	24	19	1,499395405
2019	12	44	102	1	25	18	3,316988751
2019	12	44	102	1	26	19	2,217348928
2019	12	44	102	1	27	19	1,36135658
2019	12	44	102	1	28	19	3,251008065
2019	12	44	102	1	29	19	2,43902439
2019	12	44	102	1	30	19	2,688679245
2019	12	44	102	1	31	19	1,754825771
2019	12	44	102	2	1	10	0,538966671
2019	12	44	102	2	2	9	0,366417808
2019	12	44	102	2	3	9	0,461915989
2019	12	44	102	2	4	10	2,423623363
2019	12	44	102	2	5	10	0,470782372
2019	12	44	102	2	6	9	0,416199027
2019	12	44	102	2	7	10	0,553563897
2019	12	44	102	2	8	18	0,617550794
2019	12	44	102	2	9	10	0,35054804
2019	12	44	102	2	10	10	0,967386619
2019	12	44	102	2	11	10	0,489168414
2019	12	44	102	2	12	10	2,257504341
2019	12	44	102	2	13	10	0,53651699
2019	12	44	102	2	14	10	0,488958991
2019	12	44	102	2	15	19	0,714331682
2019	12	44	102	2	16	10	0,614139491
2019	12	44	102	2	17	10	0,597349263
2019	12	44	102	2	18	10	0,572721147
2019	12	44	102	2	19	9	0,537276774
2019	12	44	102	2	20	9	0,454281848
2019	12	44	102	2	21	9	0,421527301
2019	12	44	102	2	22	19	0,618532176
2019	12	44	102	2	23	10	2,409487094
2019	12	44	102	2	24	10	0,812477034
2019	12	44	102	2	25	19	1,39772951
2019	12	44	102	2	26	10	0,658994317
2019	12	44	102	2	27	10	0,771873676
2019	12	44	102	2	28	10	0,617609039
2019	12	44	102	2	29	19	1,234089651
2019	12	44	102	2	30	10	0,812664014
2019	12	44	102	2	31	10	1,927969471
2019	12	47	102	1	1	18	0,968379447
2019	12	47	102	1	2	19	1,711229947
2019	12	47	102	1	3	19	1,779288285
2019	12	47	102	1	4	19	1,473087819
2019	12	47	102	1	5	19	1,097366321
2019	12	47	102	1	6	19	0,856836844
2019	12	47	102	1	7	10	0,657291348
2019	12	47	102	1	8	18	1,074285714
2019	12	47	102	1	9	19	1,417731629
2019	12	47	102	1	10	19	1,157543653
2019	12	47	102	1	11	19	1,292146174
2019	12	47	102	1	12	19	1,254299009
2019	12	47	102	1	13	19	1,454751559
2019	12	47	102	1	14	19	1,354401806
2019	12	47	102	1	15	18	1,11665005
2019	12	47	102	1	16	19	0,888468809

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	12	47	102	1	17	19	0,876023615
2019	12	47	102	1	18	19	0,909794812
2019	12	47	102	1	19	19	1,601922307
2019	12	47	102	1	20	19	0,752142732
2019	12	47	102	1	21	19	0,980392157
2019	12	47	102	1	22	10	0,940216427
2019	12	47	102	1	23	19	0,985139422
2019	12	47	102	1	24	9	0,746382331
2019	12	47	102	1	25	18	0,526976161
2019	12	47	102	1	26	19	1,480129765
2019	12	47	102	1	27	19	1,622874807
2019	12	47	102	1	28	19	0,777732296
2019	12	47	102	1	29	19	1,01205857
2019	12	47	102	1	30	19	0,849661869
2019	12	47	102	1	31	10	0,63732029
2019	12	47	102	2	1	18	0,467008135
2019	12	47	102	2	2	9	0,387670197
2019	12	47	102	2	3	10	0,373167481
2019	12	47	102	2	4	10	0,326234708
2019	12	47	102	2	5	9	0,506351603
2019	12	47	102	2	6	10	0,385288967
2019	12	47	102	2	7	10	0,499717141
2019	12	47	102	2	8	19	0,595429675
2019	12	47	102	2	9	10	0,5078125
2019	12	47	102	2	10	10	0,362352504
2019	12	47	102	2	11	9	0,320811342
2019	12	47	102	2	12	10	0,391368733
2019	12	47	102	2	13	9	0,537198459
2019	12	47	102	2	14	10	0,438452264
2019	12	47	102	2	15	19	0,604737107
2019	12	47	102	2	16	10	0,369541962
2019	12	47	102	2	17	9	0,403940887
2019	12	47	102	2	18	10	0,334855403
2019	12	47	102	2	19	10	0,36739152
2019	12	47	102	2	20	10	0,342530923
2019	12	47	102	2	21	10	0,287692169
2019	12	47	102	2	22	10	0,34359888
2019	12	47	102	2	23	9	0,29154519
2019	12	47	102	2	24	10	0,335084224
2019	12	47	102	2	25	10	0,403084472
2019	12	47	102	2	26	10	0,385982732
2019	12	47	102	2	27	10	0,39476218
2019	12	47	102	2	28	10	0,608732158
2019	12	47	102	2	29	19	0,420624152
2019	12	47	102	2	30	10	0,443401148
2019	12	47	102	2	31	10	0,552641439
2019	12	50	102	1	1	19	2,995008319
2019	12	50	102	1	2	19	3,128430296
2019	12	50	102	1	3	19	3,802892341
2019	12	50	102	1	4	19	4,18879056
2019	12	50	102	1	5	19	2,685821362
2019	12	50	102	1	6	19	2,279202279
2019	12	50	102	1	7	19	3,249830738
2019	12	50	102	1	8	19	2,754399388
2019	12	50	102	1	9	19	2,310803004
2019	12	50	102	1	10	19	3,002832861
2019	12	50	102	1	11	19	3,856749311
2019	12	50	102	1	12	19	2,707808564
2019	12	50	102	1	13	19	3,788334336
2019	12	50	102	1	14	18	2,721893491
2019	12	50	102	1	15	19	2,134146341
2019	12	50	102	1	16	19	2,299495233
2019	12	50	102	1	17	19	3,898405198
2019	12	50	102	1	18	19	2,853745541
2019	12	50	102	1	19	18	2,433503113
2019	12	50	102	1	20	18	2,344601963
2019	12	50	102	1	21	10	1,778846154
2019	12	50	102	1	22	19	3,706395349
2019	12	50	102	1	23	19	3,873466753
2019	12	50	102	1	24	14	1,578798985
2019	12	50	102	1	25	18	2,337228715
2019	12	50	102	1	26	19	3,143040411
2019	12	50	102	1	27	19	3,43995172
2019	12	50	102	1	28	19	3,824756606
2019	12	50	102	1	29	19	3,221730891
2019	12	50	102	1	30	19	3,557312253

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	12	50	102	1	31	19	3,002421308
2019	12	50	102	2	1	20	0,829737803
2019	12	50	102	2	2	19	0,811581487
2019	12	50	102	2	3	19	2,60989011
2019	12	50	102	2	4	19	0,939274792
2019	12	50	102	2	5	19	0,787918582
2019	12	50	102	2	6	19	0,848509934
2019	12	50	102	2	7	10	0,57481921
2019	12	50	102	2	8	19	1,31714876
2019	12	50	102	2	9	19	0,782537068
2019	12	50	102	2	10	19	0,918196995
2019	12	50	102	2	11	19	1,158723218
2019	12	50	102	2	12	19	0,746268657
2019	12	50	102	2	13	19	0,871805033
2019	12	50	102	2	14	19	0,707762557
2019	12	50	102	2	15	20	1,309603761
2019	12	50	102	2	16	19	0,781070526
2019	12	50	102	2	17	19	0,667280258
2019	12	50	102	2	18	19	0,65849228
2019	12	50	102	2	19	19	0,72633552
2019	12	50	102	2	20	9	0,840486409
2019	12	50	102	2	21	9	0,773195876
2019	12	50	102	2	22	19	0,851703407
2019	12	50	102	2	23	9	0,73240443
2019	12	50	102	2	24	14	1,1406545
2019	12	50	102	2	25	19	1,157407407
2019	12	50	102	2	26	19	1,941747573
2019	12	50	102	2	27	19	0,923279842
2019	12	50	102	2	28	10	1,026392962
2019	12	50	102	2	29	19	0,992736077
2019	12	50	102	2	30	10	1,431098247
2019	12	50	102	2	31	19	2,149390244
2019	12	52	102	1	1	19	1,007339185
2019	12	52	102	1	2	19	1,158645276
2019	12	52	102	1	3	19	1,233409304
2019	12	52	102	1	4	19	1,275408529
2019	12	52	102	1	5	19	1,355932203
2019	12	52	102	1	6	19	1,190923906
2019	12	52	102	1	7	19	1,126558006
2019	12	52	102	1	8	19	1,280150923
2019	12	52	102	1	9	19	1,874540554
2019	12	52	102	1	10	19	1,23747061
2019	12	52	102	1	11	19	1,538079881
2019	12	52	102	1	12	19	1,150817686
2019	12	52	102	1	13	19	1,365705615
2019	12	52	102	1	14	19	1,14232428
2019	12	52	102	1	15	19	1,057579318
2019	12	52	102	1	16	19	1,187270502
2019	12	52	102	1	17	19	0,910834132
2019	12	52	102	1	18	19	1,110699741
2019	12	52	102	1	19	19	1,295119319
2019	12	52	102	1	20	19	1,088704689
2019	12	52	102	1	21	19	1,169125993
2019	12	52	102	1	22	19	1,067805659
2019	12	52	102	1	23	19	1,218401275
2019	12	52	102	1	24	19	1,065292096
2019	12	52	102	1	25	19	1,089761973
2019	12	52	102	1	26	19	1,317680882
2019	12	52	102	1	27	19	1,023464803
2019	12	52	102	1	28	19	1,166789487
2019	12	52	102	1	29	19	1,116312568
2019	12	52	102	1	30	19	1,27780407
2019	12	52	102	1	31	19	1,686536784
2019	12	52	102	2	1	20	0,218417946
2019	12	52	102	2	2	19	0,338860525
2019	12	52	102	2	3	20	0,425884301
2019	12	52	102	2	4	20	0,500253293
2019	12	52	102	2	5	20	0,359773856
2019	12	52	102	2	6	20	0,346639224
2019	12	52	102	2	7	10	0,166769069
2019	12	52	102	2	8	20	0,327535577
2019	12	52	102	2	9	19	0,367052655
2019	12	52	102	2	10	20	0,436957397
2019	12	52	102	2	11	20	0,411313951
2019	12	52	102	2	12	20	0,281660755
2019	12	52	102	2	13	19	0,277271647

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	12	52	102	2	14	19	0,262843489
2019	12	52	102	2	15	20	0,241338625
2019	12	52	102	2	16	20	0,369444746
2019	12	52	102	2	17	19	0,376401601
2019	12	52	102	2	18	19	0,34365684
2019	12	52	102	2	19	19	0,32403657
2019	12	52	102	2	20	19	0,227465495
2019	12	52	102	2	21	10	0,185247558
2019	12	52	102	2	22	19	0,270913718
2019	12	52	102	2	23	19	0,246805462
2019	12	52	102	2	24	19	0,342913706
2019	12	52	102	2	25	20	0,33050513
2019	12	52	102	2	26	20	0,315409269
2019	12	52	102	2	27	20	0,415447078
2019	12	52	102	2	28	20	0,335910179
2019	12	52	102	2	29	20	0,230279496
2019	12	52	102	2	30	20	0,33748702
2019	12	52	102	2	31	19	0,204351831
2019	12	54	102	2	1	11	0,294857341
2019	12	54	102	2	2	10	0,238767094
2019	12	54	102	2	3	10	0,361368951
2019	12	54	102	2	4	10	0,242567052
2019	12	54	102	2	5	10	0,380747126
2019	12	54	102	2	6	10	1,958022257
2019	12	54	102	2	7	10	0,361297782
2019	12	54	102	2	8	11	0,40156892
2019	12	54	102	2	9	10	2,662241367
2019	12	54	102	2	10	10	0,284495021
2019	12	54	102	2	11	10	0,316797466
2019	12	54	102	2	12	10	0,450319582
2019	12	54	102	2	13	10	0,221238938
2019	12	54	102	2	14	10	0,424480976
2019	12	54	102	2	15	19	0,612909404
2019	12	54	102	2	16	10	0,398591643
2019	12	54	102	2	17	10	0,311592663
2019	12	54	102	2	18	10	0,433633715
2019	12	54	102	2	19	10	0,32311243
2019	12	54	102	2	20	10	0,415571717
2019	12	54	102	2	21	10	0,305540467
2019	12	54	102	2	22	11	0,43890587
2019	12	54	102	2	23	10	0,331632653
2019	12	54	102	2	24	10	0,298860161
2019	12	54	102	2	25	11	0,372439479
2019	12	54	102	2	26	10	0,728309056
2019	12	54	102	2	27	10	0,358646499
2019	12	54	102	2	28	10	0,487765222
2019	12	54	102	2	29	11	0,325982742
2019	12	54	102	2	30	10	0,476266074
2019	12	54	102	2	31	10	0,285827709
2019	12	63	102	1	1	19	1,678004535
2019	12	63	102	1	2	10	1,585014409
2019	12	63	102	1	3	19	1,407811081
2019	12	63	102	1	4	10	2,254098361
2019	12	63	102	1	5	19	2,680599727
2019	12	63	102	1	6	19	3,123732252
2019	12	63	102	1	7	11	1,425356339
2019	12	63	102	1	8	19	1,140873016
2019	12	63	102	1	9	19	1,918465228
2019	12	63	102	1	10	19	2,074493164
2019	12	63	102	1	11	19	2,191519771
2019	12	63	102	1	12	10	2
2019	12	63	102	1	13	19	2,0609319
2019	12	63	102	1	14	18	1,908396947
2019	12	63	102	1	15	19	1,515869256
2019	12	63	102	1	16	10	1,910584639
2019	12	63	102	1	17	10	2,19863533
2019	12	63	102	1	18	10	3,621369667
2019	12	63	102	1	19	10	2,085840353
2019	12	63	102	1	20	10	1,580882353
2019	12	63	102	1	21	10	1,476413396
2019	12	63	102	1	22	19	2,106270943
2019	12	63	102	1	23	19	1,677419355
2019	12	63	102	1	24	14	2,114133649
2019	12	63	102	1	25	10	1,10864745
2019	12	63	102	1	26	10	2,13321724
2019	12	63	102	1	27	19	2,023919043

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	12	63	102	1	28	10	2,2
2019	12	63	102	1	29	19	2,181656278
2019	12	63	102	1	30	10	1,856060606
2019	12	63	102	1	31	19	2,599009901
2019	12	63	102	2	1	19	0,71942446
2019	12	63	102	2	2	19	0,807754443
2019	12	63	102	2	3	19	0,695206733
2019	12	63	102	2	4	10	1,386449764
2019	12	63	102	2	5	10	0,642577761
2019	12	63	102	2	6	9	0,6497342
2019	12	63	102	2	7	10	0,757921651
2019	12	63	102	2	8	18	1,228809759
2019	12	63	102	2	9	10	0,62447572
2019	12	63	102	2	10	10	0,798307204
2019	12	63	102	2	11	10	0,664803931
2019	12	63	102	2	12	10	0,629687934
2019	12	63	102	2	13	10	0,696055684
2019	12	63	102	2	14	10	0,491624181
2019	12	63	102	2	15	19	0,640368852
2019	12	63	102	2	16	10	0,620280475
2019	12	63	102	2	17	10	0,643737355
2019	12	63	102	2	18	10	6,476638773
2019	12	63	102	2	19	10	0,603050727
2019	12	63	102	2	20	10	0,766525386
2019	12	63	102	2	21	10	0,68140124
2019	12	63	102	2	22	19	0,80746048
2019	12	63	102	2	23	10	0,701871658
2019	12	63	102	2	24	14	0,462795812
2019	12	63	102	2	25	11	0,819968648
2019	12	63	102	2	26	10	0,721732157
2019	12	63	102	2	27	10	0,706682952
2019	12	63	102	2	28	10	0,621171599
2019	12	63	102	2	29	19	0,888841294
2019	12	63	102	2	30	10	0,667903525
2019	12	63	102	2	31	19	1,393472681
2019	12	66	102	1	1	19	3,708698584
2019	12	66	102	1	2	19	3,048780488
2019	12	66	102	1	3	19	2,795208214
2019	12	66	102	1	4	19	3,144654088
2019	12	66	102	1	5	19	2,998126171
2019	12	66	102	1	6	10	0,830078125
2019	12	66	102	1	7	10	1,815878378
2019	12	66	102	1	8	19	1,98938992
2019	12	66	102	1	9	10	1,217798595
2019	12	66	102	1	10	19	2,567237164
2019	12	66	102	1	11	19	3,8124678
2019	12	66	102	1	12	19	4,495614035
2019	12	66	102	1	13	19	3,35409679
2019	12	66	102	1	14	10	1,851035699
2019	12	66	102	1	15	19	1,769371568
2019	12	66	102	1	16	10	2,004555809
2019	12	66	102	1	17	10	2,014995314
2019	12	66	102	1	18	19	1,914893617
2019	12	66	102	1	19	9	2,877697842
2019	12	66	102	1	20	10	2,674988854
2019	12	66	102	1	21	10	1,28152129
2019	12	66	102	1	22	10	2,29604299
2019	12	66	102	1	23	10	1,777970512
2019	12	66	102	1	24	14	2,561756633
2019	12	66	102	1	25	10	1,793103448
2019	12	66	102	1	26	10	1,984877127
2019	12	66	102	1	27	18	2,287581699
2019	12	66	102	1	28	11	2,958579882
2019	12	66	102	1	29	10	2,06013363
2019	12	66	102	1	30	10	2,257525084
2019	12	66	102	1	31	18	3,622641509
2019	12	66	102	2	1	19	0,459016393
2019	12	66	102	2	2	10	0,41971297
2019	12	66	102	2	3	10	0,271458118
2019	12	66	102	2	4	10	0,36998668
2019	12	66	102	2	5	10	0,401821591
2019	12	66	102	2	6	10	0,309688836
2019	12	66	102	2	7	10	0,311804009
2019	12	66	102	2	8	11	0,331186753
2019	12	66	102	2	9	10	0,334354974
2019	12	66	102	2	10	10	0,29859235

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	12	66	102	2	11	10	0,222996516
2019	12	66	102	2	12	10	0,423472474
2019	12	66	102	2	13	10	0,445914845
2019	12	66	102	2	14	10	0,264511389
2019	12	66	102	2	15	19	0,336134454
2019	12	66	102	2	16	10	0,499643112
2019	12	66	102	2	17	10	0,352609309
2019	12	66	102	2	18	10	0,401845513
2019	12	66	102	2	19	10	0,325636471
2019	12	66	102	2	20	10	0,448430493
2019	12	66	102	2	21	10	0,31377899
2019	12	66	102	2	22	11	0,499311295
2019	12	66	102	2	23	10	0,418728588
2019	12	66	102	2	24	14	0,338619095
2019	12	66	102	2	25	11	0,493421053
2019	12	66	102	2	26	10	0,542118432
2019	12	66	102	2	27	10	0,366972477
2019	12	66	102	2	28	10	0,612780858
2019	12	66	102	2	29	19	0,594530321
2019	12	66	102	2	30	10	0,538530581
2019	12	66	102	2	31	19	0,80725423
2019	12	68	102	1	1	18	1,391055094
2019	12	68	102	1	2	19	2,092656523
2019	12	68	102	1	3	19	1,882599033
2019	12	68	102	1	4	19	1,920319764
2019	12	68	102	1	5	19	1,650812609
2019	12	68	102	1	6	19	1,796907647
2019	12	68	102	1	7	9	1,468492717
2019	12	68	102	1	8	18	1,608938547
2019	12	68	102	1	9	19	2,27335102
2019	12	68	102	1	10	19	2,072655337
2019	12	68	102	1	11	19	1,97688134
2019	12	68	102	1	12	19	1,882703508
2019	12	68	102	1	13	19	1,946399796
2019	12	68	102	1	14	18	1,427307816
2019	12	68	102	1	15	19	1,758806383
2019	12	68	102	1	16	9	1,535668905
2019	12	68	102	1	17	9	1,451662326
2019	12	68	102	1	18	19	1,789455307
2019	12	68	102	1	19	19	2,023942813
2019	12	68	102	1	20	9	1,701358134
2019	12	68	102	1	21	9	1,450049879
2019	12	68	102	1	22	9	1,352899069
2019	12	68	102	1	23	9	1,376613467
2019	12	68	102	1	24	9	1,45584804
2019	12	68	102	1	25	10	1,555535341
2019	12	68	102	1	26	9	1,404234877
2019	12	68	102	1	27	19	2,171721415
2019	12	68	102	1	28	10	1,54234547
2019	12	68	102	1	29	19	1,807058824
2019	12	68	102	1	30	9	1,413663188
2019	12	68	102	1	31	18	1,602013258
2019	12	68	102	2	1	10	0,778637546
2019	12	68	102	2	2	10	0,70703357
2019	12	68	102	2	3	10	0,976336982
2019	12	68	102	2	4	9	0,688326771
2019	12	68	102	2	5	9	0,634205074
2019	12	68	102	2	6	10	0,686404352
2019	12	68	102	2	7	10	0,758962052
2019	12	68	102	2	8	11	0,686229324
2019	12	68	102	2	9	10	0,740163615
2019	12	68	102	2	10	10	0,700672646
2019	12	68	102	2	11	10	0,804505229
2019	12	68	102	2	12	10	0,745003569
2019	12	68	102	2	13	9	0,833969666
2019	12	68	102	2	14	10	0,955368374
2019	12	68	102	2	15	10	0,762463343
2019	12	68	102	2	16	10	0,816437416
2019	12	68	102	2	17	10	0,85855302
2019	12	68	102	2	18	10	0,904430827
2019	12	68	102	2	19	10	0,75156696
2019	12	68	102	2	20	9	0,909983543
2019	12	68	102	2	21	10	0,934432329
2019	12	68	102	2	22	10	0,767993748
2019	12	68	102	2	23	9	0,971978984
2019	12	68	102	2	24	10	0,651197035

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	12	68	102	2	25	11	1,101862862
2019	12	68	102	2	26	10	0,879196478
2019	12	68	102	2	27	10	0,852726443
2019	12	68	102	2	28	10	0,859022695
2019	12	68	102	2	29	19	1,174186563
2019	12	68	102	2	30	10	0,87245164
2019	12	68	102	2	31	10	0,765730773
2019	12	70	102	2	1	11	0
2019	12	70	102	2	2	19	0,382409178
2019	12	70	102	2	3	11	1,13085622
2019	12	70	102	2	4	10	0,934579439
2019	12	70	102	2	5	10	1,5130674
2019	12	70	102	2	6	10	0,460122699
2019	12	70	102	2	7	10	1,237113402
2019	12	70	102	2	8	19	1,131221719
2019	12	70	102	2	9	9	1,538461538
2019	12	70	102	2	10	20	0,402414487
2019	12	70	102	2	11	19	1,642335766
2019	12	70	102	2	12	9	0,970873786
2019	12	70	102	2	13	9	1,673640167
2019	12	70	102	2	14	9	0,643776824
2019	12	70	102	2	15	19	0,447427293
2019	12	70	102	2	16	10	1,026392962
2019	12	70	102	2	17	9	1,315789474
2019	12	70	102	2	18	10	0,384122919
2019	12	70	102	2	19	9	1,36425648
2019	12	70	102	2	20	10	1,681957187
2019	12	70	102	2	21	10	0,526315789
2019	12	70	102	2	22	19	1,184433164
2019	12	70	102	2	23	9	0,902061856
2019	12	70	102	2	24	10	0,961538462
2019	12	70	102	2	25	11	0,416666667
2019	12	70	102	2	26	10	0,785634119
2019	12	70	102	2	27	10	1,656804734
2019	12	70	102	2	28	10	0,641848524
2019	12	70	102	2	29	19	1,287001287
2019	12	70	102	2	30	10	1,167315175
2019	12	70	102	2	31	10	0,975177305
2019	12	73	102	1	1	19	1,781528364
2019	12	73	102	1	2	19	1,640656263
2019	12	73	102	1	3	19	1,767191702
2019	12	73	102	1	4	19	1,575456053
2019	12	73	102	1	5	19	1,468189233
2019	12	73	102	1	6	19	1,558325913
2019	12	73	102	1	7	10	0,766747377
2019	12	73	102	1	8	19	1,381780962
2019	12	73	102	1	9	19	1,741293532
2019	12	73	102	1	10	19	1,204819277
2019	12	73	102	1	11	19	1,412180053
2019	12	73	102	1	12	19	2,115716753
2019	12	73	102	1	13	19	1,733615222
2019	12	73	102	1	14	19	2,270381837
2019	12	73	102	1	15	19	1,305970149
2019	12	73	102	1	16	19	1,726427623
2019	12	73	102	1	17	19	0,951949229
2019	12	73	102	1	18	19	1,369276851
2019	12	73	102	1	19	19	1,69211721
2019	12	73	102	1	20	19	1,384083045
2019	12	73	102	1	21	10	1,292944219
2019	12	73	102	1	22	10	1,665459812
2019	12	73	102	1	23	9	1,094752737
2019	12	73	102	1	24	14	1,093294461
2019	12	73	102	1	25	10	1,234567901
2019	12	73	102	1	26	19	1,663669065
2019	12	73	102	1	27	19	1,701951017
2019	12	73	102	1	28	10	1,290591174
2019	12	73	102	1	29	19	1,500625261
2019	12	73	102	1	30	19	1,816713767
2019	12	73	102	1	31	19	1,361349512
2019	12	73	102	2	1	10	0,675168792
2019	12	73	102	2	2	10	0,814918698
2019	12	73	102	2	3	19	1,206328585
2019	12	73	102	2	4	19	1,23837584
2019	12	73	102	2	5	19	1,120421806
2019	12	73	102	2	6	9	0,910277933
2019	12	73	102	2	7	10	0,745400335

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	12	73	102	2	8	19	0,910845998
2019	12	73	102	2	9	19	1,021780048
2019	12	73	102	2	10	19	1,27782777
2019	12	73	102	2	11	19	1,369010579
2019	12	73	102	2	12	10	0,94759008
2019	12	73	102	2	13	10	0,952344232
2019	12	73	102	2	14	10	0,895086627
2019	12	73	102	2	15	19	1,052137154
2019	12	73	102	2	16	10	0,826320399
2019	12	73	102	2	17	10	0,965459842
2019	12	73	102	2	18	10	0,796477887
2019	12	73	102	2	19	10	0,988087175
2019	12	73	102	2	20	10	0,837945879
2019	12	73	102	2	21	10	0,884834819
2019	12	73	102	2	22	10	0,895647534
2019	12	73	102	2	23	10	1,015579122
2019	12	73	102	2	24	14	0,773325105
2019	12	73	102	2	25	10	0,919117647
2019	12	73	102	2	26	10	1,060645257
2019	12	73	102	2	27	10	1,005419548
2019	12	73	102	2	28	10	1,541168421
2019	12	73	102	2	29	19	1,669536573
2019	12	73	102	2	30	10	1,082410824
2019	12	73	102	2	31	19	1,604632404
2019	12	76	102	1	1	10	1,206416545
2019	12	76	102	1	2	19	1,535643843
2019	12	76	102	1	3	10	1,215768144
2019	12	76	102	1	4	10	1,125065411
2019	12	76	102	1	5	19	1,367043951
2019	12	76	102	1	6	10	1,304405697
2019	12	76	102	1	7	10	0,948491635
2019	12	76	102	1	8	19	0,994865212
2019	12	76	102	1	9	10	1,269762231
2019	12	76	102	1	10	10	1,399058577
2019	12	76	102	1	11	19	1,483275314
2019	12	76	102	1	12	10	1,363759114
2019	12	76	102	1	13	19	1,320704376
2019	12	76	102	1	14	10	1,140448742
2019	12	76	102	1	15	19	1,447020383
2019	12	76	102	1	16	10	1,395631068
2019	12	76	102	1	17	10	1,176176176
2019	12	76	102	1	18	10	3,078703704
2019	12	76	102	1	19	10	3,36508722
2019	12	76	102	1	20	10	2,625873284
2019	12	76	102	1	21	10	2,979169091
2019	12	76	102	1	22	10	1,123595506
2019	12	76	102	1	23	10	1,117982873
2019	12	76	102	1	24	14	0,996036183
2019	12	76	102	1	25	10	1,18694362
2019	12	76	102	1	26	10	1,292625877
2019	12	76	102	1	27	10	1,255927207
2019	12	76	102	1	28	10	1,110833749
2019	12	76	102	1	29	19	1,378787879
2019	12	76	102	1	30	10	1,4651189
2019	12	76	102	1	31	19	1,497120921
2019	12	76	102	2	1	11	0,315670389
2019	12	76	102	2	2	10	0,365636628
2019	12	76	102	2	3	10	0,448117905
2019	12	76	102	2	4	10	0,31714184
2019	12	76	102	2	5	10	0,368698025
2019	12	76	102	2	6	10	0,389040915
2019	12	76	102	2	7	10	0,35376231
2019	12	76	102	2	8	11	0,272677695
2019	12	76	102	2	9	10	0,379734967
2019	12	76	102	2	10	10	0,355170966
2019	12	76	102	2	11	10	0,398209702
2019	12	76	102	2	12	10	0,4915545
2019	12	76	102	2	13	10	0,407560733
2019	12	76	102	2	14	10	0,435145637
2019	12	76	102	2	15	11	0,384435555
2019	12	76	102	2	16	10	0,547142614
2019	12	76	102	2	17	10	0,39805748
2019	12	76	102	2	18	10	0,50666228
2019	12	76	102	2	19	10	0,493566014
2019	12	76	102	2	20	10	0,47596607
2019	12	76	102	2	21	10	0,456114211

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	12	76	102	2	22	11	0,33414084
2019	12	76	102	2	23	10	0,337297297
2019	12	76	102	2	24	14	0,355401373
2019	12	76	102	2	25	11	0,331854063
2019	12	76	102	2	26	10	0,382489774
2019	12	76	102	2	27	10	0,333163298
2019	12	76	102	2	28	10	0,405367627
2019	12	76	102	2	29	11	0,381705405
2019	12	76	102	2	30	10	0,35730109
2019	12	76	102	2	31	10	0,395165356
2019	12	81	102	2	1	18	0,728959576
2019	12	81	102	2	2	19	1,361007145
2019	12	81	102	2	3	10	0,301204819
2019	12	81	102	2	4	9	0,612341027
2019	12	81	102	2	5	19	0,936037441
2019	12	81	102	2	6	19	1,178603808
2019	12	81	102	2	7	9	0,431282346
2019	12	81	102	2	8	19	1,443123939
2019	12	81	102	2	9	10	0,306122449
2019	12	81	102	2	10	9	0,450771056
2019	12	81	102	2	11	9	0,504413619
2019	12	81	102	2	12	9	0,518537724
2019	12	81	102	2	13	10	0,618672666
2019	12	81	102	2	14	19	0,687409551
2019	12	81	102	2	15	19	0,997697621
2019	12	81	102	2	16	10	0,458604876
2019	12	81	102	2	17	9	0,666666667
2019	12	81	102	2	18	19	0,529275554
2019	12	81	102	2	19	19	1,03125
2019	12	81	102	2	20	9	0,546967895
2019	12	81	102	2	21	10	0,546163849
2019	12	81	102	2	22	18	1,039910062
2019	12	81	102	2	23	9	0,331564987
2019	12	81	102	2	24	9	0,485436893
2019	12	81	102	2	25	19	0,923675255
2019	12	81	102	2	26	11	0,454545455
2019	12	81	102	2	27	11	2,38890316
2019	12	81	102	2	28	19	0,453172205
2019	12	81	102	2	29	19	0,864012021
2019	12	81	102	2	30	10	0,500500501
2019	12	81	102	2	31	10	0,502753172
2019	12	85	102	1	1	18	2,037037037
2019	12	85	102	1	2	18	3,640776699
2019	12	85	102	1	3	19	3,91959799
2019	12	85	102	1	4	18	2,683504341
2019	12	85	102	1	5	19	2,834366696
2019	12	85	102	1	6	19	3,228476821
2019	12	85	102	1	7	18	3,266331658
2019	12	85	102	1	8	18	3,679245283
2019	12	85	102	1	9	19	2,310756972
2019	12	85	102	1	10	19	2,541544477
2019	12	85	102	1	11	19	3,286384977
2019	12	85	102	1	12	19	1,866404715
2019	12	85	102	1	13	19	2,455146364
2019	12	85	102	1	14	18	2,66920877
2019	12	85	102	1	15	18	3,15893386
2019	12	85	102	1	16	18	2,113207547
2019	12	85	102	1	17	19	2,591170825
2019	12	85	102	1	18	19	3,428571429
2019	12	85	102	1	19	19	3,092783505
2019	12	85	102	1	20	18	2,995951417
2019	12	85	102	1	21	18	3,161141095
2019	12	85	102	1	22	18	2,468085106
2019	12	85	102	1	23	18	2,905405405
2019	12	85	102	1	24	18	3,000697837
2019	12	85	102	1	25	10	3,25203252
2019	12	85	102	1	26	18	4,811250925
2019	12	85	102	1	27	18	4,526166902
2019	12	85	102	1	28	18	2,306425041
2019	12	85	102	1	29	18	2,805923617
2019	12	85	102	1	30	18	1,826846704
2019	12	85	102	1	31	18	3,173531398
2019	12	85	102	2	1	19	0,733000624
2019	12	85	102	2	2	9	0,72515667
2019	12	85	102	2	3	18	0,576960688
2019	12	85	102	2	4	19	0,729843768

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	12	85	102	2	5	18	0,565188236
2019	12	85	102	2	6	9	0,514533309
2019	12	85	102	2	7	9	0,642445724
2019	12	85	102	2	8	18	0,61759516
2019	12	85	102	2	9	19	0,87671826
2019	12	85	102	2	10	19	0,674646355
2019	12	85	102	2	11	18	0,691287879
2019	12	85	102	2	12	18	0,608401738
2019	12	85	102	2	13	9	0,439152923
2019	12	85	102	2	14	10	0,754671778
2019	12	85	102	2	15	19	0,674122874
2019	12	85	102	2	16	10	0,576059363
2019	12	85	102	2	17	9	0,429826201
2019	12	85	102	2	18	19	0,593190177
2019	12	85	102	2	19	19	0,735379946
2019	12	85	102	2	20	10	0,607872446
2019	12	85	102	2	21	11	0,467581047
2019	12	85	102	2	22	18	0,61809105
2019	12	85	102	2	23	9	0,53100531
2019	12	85	102	2	24	9	0,575525993
2019	12	85	102	2	25	19	0,956622134
2019	12	85	102	2	26	10	1,031128405
2019	12	85	102	2	27	19	1,468332238
2019	12	85	102	2	28	10	0,959465287
2019	12	85	102	2	29	19	0,96807954
2019	12	85	102	2	30	9	0,434380776
2019	12	85	102	2	31	18	0,727398684
2019	12	86	102	2	1	19	0,069396253
2019	12	86	102	2	2	19	0,284900285
2019	12	86	102	2	3	19	0,12070006
2019	12	86	102	2	4	19	0,181928441
2019	12	86	102	2	5	20	0
2019	12	86	102	2	6	10	0,17520806
2019	12	86	102	2	7	10	0,049875312
2019	12	86	102	2	8	20	0,067385445
2019	12	86	102	2	9	20	0,302343159
2019	12	86	102	2	10	19	0
2019	12	86	102	2	11	19	0,175336061
2019	12	86	102	2	12	19	0,112359551
2019	12	86	102	2	13	9	0
2019	12	86	102	2	14	10	0,102722137
2019	12	86	102	2	15	19	0,068728522
2019	12	86	102	2	16	10	0,171821306
2019	12	86	102	2	17	20	0,077639752
2019	12	86	102	2	18	10	0
2019	12	86	102	2	19	10	0,041084634
2019	12	86	102	2	20	10	0,240847784
2019	12	86	102	2	21	10	0,191570881
2019	12	86	102	2	22	19	0,213219616
2019	12	86	102	2	23	10	0,03534818
2019	12	86	102	2	24	10	0,073286918
2019	12	86	102	2	25	19	0,229753016
2019	12	86	102	2	26	10	0,082508251
2019	12	86	102	2	27	10	0,042194093
2019	12	86	102	2	28	10	0,135379061
2019	12	86	102	2	29	19	0,048123195
2019	12	86	102	2	30	10	0
2019	12	86	102	2	31	19	0
2019	12	88	102	1	1	20	2,88153682
2019	12	88	102	1	2	20	2,19138057
2019	12	88	102	1	3	20	2,733333333
2019	12	88	102	1	4	19	1,737451737
2019	12	88	102	1	5	19	2,872860636
2019	12	88	102	1	6	20	3,341687552
2019	12	88	102	1	7	18	2,399520096
2019	12	88	102	1	8	19	2,152190623
2019	12	88	102	1	9	21	3,2
2019	12	88	102	1	10	20	1,774691358
2019	12	88	102	1	11	20	0,954084675
2019	12	88	102	1	12	20	2,443729904
2019	12	88	102	1	13	20	2,133922001
2019	12	88	102	1	14	19	1,295731707
2019	12	88	102	1	15	19	2,83171521
2019	12	88	102	1	16	20	1,112565445
2019	12	88	102	1	17	20	1,762114537
2019	12	88	102	1	18	20	1,370906321

ANNO	MES	ID_DEPARTAMENTO	ID_ZONA	ID_TECNOLOGIA_ACCESO	DIA	HORA_PICO_RESTO_DPTO	PORCENTAJE_LLAMADAS_CAIDAS
2019	12	88	102	1	19	19	2,096010818
2019	12	88	102	1	20	19	1,297858533
2019	12	88	102	1	21	20	0,693909021
2019	12	88	102	1	22	19	3,670972128
2019	12	88	102	1	23	21	1,198083067
2019	12	88	102	1	24	18	1,718009479
2019	12	88	102	1	25	11	2,722940776
2019	12	88	102	1	26	19	3,10421286
2019	12	88	102	1	27	20	1,873198847
2019	12	88	102	1	28	20	1,953125
2019	12	88	102	1	29	20	3,370786517
2019	12	88	102	1	30	20	2,427184466
2019	12	88	102	1	31	19	1,546107123
2019	12	88	102	2	1	18	0,511732401
2019	12	88	102	2	2	10	0,191601469
2019	12	88	102	2	3	10	0,148797222
2019	12	88	102	2	4	12	1,022358112
2019	12	88	102	2	5	11	0,33749886
2019	12	88	102	2	6	18	0,175892395
2019	12	88	102	2	7	11	0,543167524
2019	12	88	102	2	8	19	0,76394194
2019	12	88	102	2	9	11	0,242277408
2019	12	88	102	2	10	20	1,007934806
2019	12	88	102	2	11	10	0,122352221
2019	12	88	102	2	12	11	0,235616022
2019	12	88	102	2	13	10	0,262969161
2019	12	88	102	2	14	10	0,234847801
2019	12	88	102	2	15	13	0,597907324
2019	12	88	102	2	16	10	0,176071099
2019	12	88	102	2	17	10	0,181519578
2019	12	88	102	2	18	10	0,1458977
2019	12	88	102	2	19	11	0,328947368
2019	12	88	102	2	20	10	0,207866965
2019	12	88	102	2	21	10	0,201878346
2019	12	88	102	2	22	19	0,546575183
2019	12	88	102	2	23	10	0,19842728
2019	12	88	102	2	24	10	0,248420754
2019	12	88	102	2	25	11	0,387199636
2019	12	88	102	2	26	11	0,276130919
2019	12	88	102	2	27	11	0,354358611
2019	12	88	102	2	28	11	0,275560623
2019	12	88	102	2	29	19	0,44026654
2019	12	88	102	2	30	10	0,214497041
2019	12	88	102	2	31	10	0,187495493
2019	12	94	102	2	1	21	0
2019	12	94	102	2	2	21	0
2019	12	94	102	2	3	20	0
2019	12	94	102	2	4	21	1,754385965
2019	12	94	102	2	5	9	0,680272109
2019	12	94	102	2	6	19	0
2019	12	94	102	2	7	10	0
2019	12	94	102	2	8	11	0
2019	12	94	102	2	9	21	0
2019	12	94	102	2	10	19	0
2019	12	94	102	2	11	19	0
2019	12	94	102	2	12	21	0
2019	12	94	102	2	13	19	0
2019	12	94	102	2	14	10	0
2019	12	94	102	2	15	20	0
2019	12	94	102	2	16	17	0
2019	12	94	102	2	17	21	0
2019	12	94	102	2	18	19	0
2019	12	94	102	2	19	18	1,801801802
2019	12	94	102	2	20	16	0
2019	12	94	102	2	21	10	0
2019	12	94	102	2	22	20	1,5625
2019	12	94	102	2	23	19	0
2019	12	94	102	2	24	20	0
2019	12	94	102	2	25	13	0
2019	12	94	102	2	26	9	0
2019	12	94	102	2	27	21	0
2019	12	94	102	2	28	21	1,818181818
2019	12	94	102	2	29	18	0,757575758
2019	12	94	102	2	30	21	0
2019	12	94	102	2	31	23	0,793650794